

# Биологические активаторы Ecoactisan

## Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [ehi@nt-rt.ru](mailto:ehi@nt-rt.ru) || сайт: <https://ecochem.nt-rt.ru/>



## 13 - ECOACTISAN® LINE

# ECOACTISAN® concentrated POWDER

u.f.c. : 500.000.000- 600.000.000/g

**Very High Concentration**

### CHARACTERISTICS :

this synergetic combination of **aerobic and anaerobic selected bacterial cultures** finally allows to solve the problem of residual accumulation in the draining systems. The free enzymes, contained in large quantity, prepare the ideal ground to the bacterial metabolization, breaking down cellulose, animal and vegetal fats, protein starch and carbohydrate associations.

Useful to decrease the value of the BOD of the outlet water.

The wide gap of the useful pH let us to reach the max. efficiency during the treatments of the plants.

**Suitable for** : drains, tubes, septic /biological tanks, etc.

It must be considered as an ecological product above all; it is completely biodegradable and hence it doesn't contain environment corrosive or dangerous substances. It is neither toxic, not dangerous.

### COMPOSITION :

these tablets contain selected bacterial spores and free enzymes for a complete and fast metabolization of organic materials.

**It doesn't contain pathogenous bacteria.**

### SUITABLE USED FOR :

DEPURATION PRIMARY TREATMENTS, GREASE SEPTIC TANKS, SEPTIC TANKS, IMOF, LOSING WELLS, SIPHONS, BATH-ROOM PIPES, BIOLOGICIC TANKS, BLACK-WATER WELLS, PIPES & SEWERS, ETC.

### SUGGESTED DAILY DOSAGE :

#### PIPES & SEWERS:

AS STARTING – FIRST 2-3 WEEKS : 50 - 160 g every 100 m (**DAILY**)

AS MAINTENANCE : 80 - 300 g every 100 m (**TWICE A WEEK**)

#### IN ORDER TO THE CAPACITY OF THE TANKS ( MAX CAPACITY : 20 m<sup>3</sup>)

AS STARTING – FIRST 2-3 WEEKS : 50 - 100 ml per m<sup>3</sup>(**DAILY**)

AS MAINTENANCE : 20 - 80 ml per m<sup>3</sup>(**TWICE A WEEK**)

**FOR BIGGER TANKS, PLS., KEEP IN CONTACT WITH THE PRODUCER.**

**SUGGESTED DOSAGE FOR SEPTIC TANKS  
IN ORDER TO THE NUMBER OF PREPARED MEALS PER DAY :**

<b>MEALS per day</b>	<b>AS STARTING (for about 3 weeks : DAILY)</b>	<b>AS MAINTENANCE (3 TIMES A WEEK) :</b>	<b>AS MAINTENANCE (2 TIMES A WEEK) :</b>
<b>50 – 100</b>	75 g.	150 g.	150 g.
<b>101 – 400</b>	225 g.	450 g.	450 g.
<b>401 – 700</b>	300 g.	600 g.	600 g.
<b>About 3.000</b>	900g.	1.800 g.	1.800 g.

**It's always recommended, in order to obtain the best dosage, to consult the technical office.**

**USE :** **BEFORE USING ECOACTISAN® POWDER, IT NEEDS TO BE DISSOLVED IN TEPID WATER : EVERY GR.100 OF ECOACTISAN® POWDER PER LT.1 OF TEPID WATER AT LEAST; LEAVE IT HALF AN HOUR (FOR MAKING BACTERIA ACTIVE) AND USE IT IN 24 HOURS MAX.**

**SHAKE THE PRODUCT BEFORE USING.**

- 1) THE EVENING IS THE BEST MOMENT TO DO THE APPLICATION (LESS EVAPORATION, LESS USE OF THE DRAINS).
- 2) IT WOULD BE BETTER TO BEGIN THIS TREATMENT AT THE END OF THE DRAINS AND SO COMING BACK; YOU CAN AVOID OBSTRUCTIONS BEFORE.
- 3) POUR THE PRODUCT IN SEVERAL POINTS IN ORDER TO HAVE THE BEST HOMOGENEITY.

- IMPORTANT !!!**
- 1) BEST TEMPERATURE FOR THE APPLICATION AND STORAGE : between 5° - 45° degrees.
  - 2) BEST PH OF : 5.5 – 9 (never less then 5,5, never over 9,5 !!!)
  - 3) DO NOT USE ACID, ALKALINE, SANITIZING OR HYGIENE PRODUCTS AT SAME TIME !

- WARNING !**
- Keep away from children reach.
  - As simple caution, wash Your hands after using the product.  
Store ECOACTISAN® concentrated POWDER closed in a fresh and dry place between 0°C - 45° C.

**Labelling according to Regulation (EC) No 1272/2008:**

**Hazard statement**                      None.  
**Code(s):**

**Precautionary statements:**    None.

**PROFESSIONAL USE ONLY**

CODES : 14POLVEK0051405

## 13 - ECOACTISAN® LINE

# ECOACTISAN® blister TABLETS

u.f.c. : 350.000.000 - 450.000.000/g

### High concentration

#### CHARACTERISTICS :

this synergetic combination of **aerobic and anaerobic selected bacterial cultures** finally allows to solve the problem of residual accumulation in the draining systems. The free enzymes, contained in large quantity, prepare the ideal ground to the bacterial metabolization, breaking down cellulose, animal and vegetal fats, protein starch and carbohydrate associations.

**Suitable for** : toilets, drains, urinals, sinks, siphons, showers, bath-tubs, etc.

It must be considered as an ecological product above all; it is completely biodegradable and hence it doesn't contain environment corrosive or dangerous substances. It is neither toxic, nor dangerous.

#### COMPOSITION :

these tablets contain selected bacterial spores and free enzymes for a complete and fast metabolization of organic materials.

**It doesn't contain pathogenous bacteria.**

#### DOSAGE FOR SINKS, SIPHONS, SHOWERS, BATH-TUBS, DRAINS, LIQUID DRAIN OPENERS, URINALS,ETC. :

AS STARTING – FIRST WEEK : 1 tablet in every system (sink, shower, toilette-cup, etc.) every two days (1<sup>st</sup>, 3<sup>rd</sup>, 5<sup>th</sup>, 7<sup>th</sup>)

AS MAINTENANCE : 1 tablet in every system (sink, shower, toilette-cup, etc.) ONCE A WEEK.

#### TUBES :

AS STARTING – 2-3 WEEKS : 2 tablets/day every 10 m. of tube to treat

AS MAINTENANCE : 2 tablets/twice a week every 10 m. of tube to treat.

#### SEPTIC / BIOLOGICAL TANKS, CIVIC DRAINING SYSTEMS, ETC.

AS STARTING – THREE WEEKS : 4 tablets/day every m<sup>3</sup> of capacity

AS MAINTENANCE : 3 tablets/twice a week every m<sup>3</sup> of capacity

	AS STARTING DAILY FOR THREE WEEKS :	AS MAINTENANCE TWICE A WEEK :
FOR 50 – 100 PEOPLE	6 tablets	5 tablets
FOR 100 – 300 PEOPLE	9 tablets	12 tablets

**It's always recommended, in order to obtain the best dosage, to consult the technical office.**

**USE :** **IN THE EVENING OR IN THE END OF THE WORKING DAY ARE THE BEST MOMENTS TO DO THE APPLICATION (LESS USE OF DRAINS, LESS EVAPORATION AND LESS POSSIBILITY TO BE DRAINED OUT BY A LOT OF WATER!).**

**IMPORTANT !!!**

- 1) BEST TEMPERATURE FOR THE APPLICATION AND STORAGE : between 5° - 45° degrees.
- 2) BEST PH OF : 5.5 – 9 (never less than 5,5, never over 9,5 !!!)
- 3) DO NOT USE ACID, ALKALINE, SANITIZING OR HYGIENE PRODUCTS AT SAME TIME !
- 4) START THIS TREATMENT IN THE AREAS CLOSE TO THE OUTLET POINT, IN ORDER TO AVOID TO HAVE BIG QUANTITIES OF RESIDUALS COMING FROM OTHER TREATED PLANTS.

**WARNING !**

- Keep away from children reach.
- As simple caution, wash Your hands after using the product.  
Store ECOACTISAN® blister TABLETS closed in a fresh and dry place between 0°C - 45° C.

**Safety data sheet available on request for professional users**

CODES : 14COMPRB0104075 - 14COMPRB1004083

## 13 - ECOACTISAN® LINE

# ECOACTISAN® blister TABLETS

u.f.c. : 350.000.000 - 450.000.000/g

### High concentration

#### CHARACTERISTICS :

this synergetic combination of **aerobic and anaerobic selected bacterial cultures** finally allows to solve the problem of residual accumulation in the draining systems. The free enzymes, contained in large quantity, prepare the ideal ground to the bacterial metabolization, breaking down cellulose, animal and vegetal fats, protein starch and carbohydrate associations.

**Suitable for :** toilets, drains, urinals, sinks, siphons, showers, bath-tubs, etc.

It must be considered as an ecological product above all; it is completely biodegradable and hence it doesn't contain environment corrosive or dangerous substances. It is neither toxic, nor dangerous.

#### COMPOSITION :

these tablets contain selected bacterial spores and free enzymes for a complete and fast metabolization of organic materials.

**It doesn't contain pathogenous bacteria.**

#### DOSAGE FOR SINKS, SIPHONS, SHOWERS, BATH-TUBS, DRAINS, LIQUID DRAIN OPENERS, URINALS,ETC. :

AS STARTING – FIRST WEEK : 1 tablet in every system (sink, shower, toilette-cup, etc.) every two days (1<sup>st</sup>, 3<sup>rd</sup>, 5<sup>th</sup>, 7<sup>th</sup>)

AS MAINTENANCE : 1 tablet in every system (sink, shower, toilette-cup, etc.)  
ONCE A WEEK.

#### TUBES :

AS STARTING – 2-3 WEEKS : 2 tablets/day every 10 m. of tube to treat

AS MAINTENANCE : 2 tablets/twice a week every 10 m. of tube to treat.

#### SEPTIC / BIOLOGICAL TANKS, CIVIC DRAINING SYSTEMS, ETC.

AS STARTING – THREE WEEKS : 4 tablets/day every m<sup>3</sup> of capacity

AS MAINTENANCE : 3 tablets/twice a week every m<sup>3</sup> of capacity

	AS STARTING DAILY FOR THREE WEEKS :	AS MAINTENANCE TWICE A WEEK :
FOR 50 – 100 PEOPLE	6 tablets	5 tablets
FOR 100 – 300 PEOPLE	9 tablets	12 tablets

It's always recommended, in order to obtain the best dosage, to consult the technical office.

**USE :** **IN THE EVENING OR IN THE END OF THE WORKING DAY ARE THE BEST MOMENTS TO DO THE APPLICATION (LESS USE OF DRAINS, LESS EVAPORATION AND LESS POSSIBILITY TO BE DRAINED OUT BY A LOT OF WATER!).**

**IMPORTANT !!!**

- 1) BEST TEMPERATURE FOR THE APPLICATION AND STORAGE : between 5° - 45° degrees.
- 2) BEST PH OF : 5.5 – 9 (never less than 5,5, never over 9,5 !!!)
- 3) DO NOT USE ACID, ALKALINE, SANITIZING OR HYGIENE PRODUCTS AT SAME TIME !
- 4) START THIS TREATMENT IN THE AREAS CLOSE TO THE OUTLET POINT, IN ORDER TO AVOID TO HAVE BIG QUANTITIES OF RESIDUALS COMING FROM OTHER TREATED PLANTS.

**WARNING !**

- Keep away from children reach.
- As simple caution, wash Your hands after using the product.  
Store ECOACTISAN® blister TABLETS closed in a fresh and dry place between 0°C - 45° C.

**Safety data sheet available on request for professional users**

CODES : 14COMPRB0104075 - 14COMPRB1004083

## 13 - ECOACTISAN<sup>®</sup> LINE

# ECOACTISAN<sup>®</sup> concentrated LIQUID

u.f.c. : 50.000.000-60.000.000/g

### CHARACTERISTICS :

this synergetic combination of **aerobic and anaerobic selected bacterial cultures** allows to solve the problem of residual accumulation in the draining systems, breaking down animal and vegetal fats, protein starch and carbohydrate associations during bacterial metabolization.

Useful to decrease the value of the BOD of the outlet water.

The wide gap of the useful pH let us to reach the max. efficiency during the treatments of the plants.

**Suitable for** : drains, tubes, septic /biological tanks, etc.

It must be considered as an ecological product above all; it is completely biodegradable and hence it doesn't contain environment corrosive or dangerous substances. It is neither toxic, not dangerous.

### COMPOSITION :

This liquid contain selected bacterial spores for a complete and fast metabolization of organic materials.

**It doesn't contain pathogenous bacteria.**

### SUGGESTED DAILY DOSAGE :

#### IN ORDER TO THE CAPACITY OF THE TANKS :

AS STARTING – FIRST WEEK : 60 - 120 ml per m<sup>3</sup>(DAILY)

AS MAINTENANCE : 40 - 80 ml per m<sup>3</sup>(DAILY)

#### IN ORDER TO THE NUMBER OF PREPARED MEALS PER DAY :

	AS STARTING (DAILY) :	AS MAINTENANCE (DAILY) :
0 – 100 MEALS per day	300 ml.	150 ml.
101 – 200 MEALS per day	400 ml.	200 ml.
201 – 400 MEALS per day	600 ml.	300 ml.
401 – 700 MEALS per day	800 ml.	400 ml.
About 3.000 per day	2.200 ml.	1.100 ml.

It's always recommended, in order to obtain the best dosage, to consult the technical office.



**USE :** **IN THE EVENING OR IN THE END OF THE WORKING DAY ARE THE BEST MOMENTS TO DO THE APPLICATION (LESS USE OF DRAINS, LESS EVAPORATION AND LESS POSSIBILITY TO BE DRAINED OUT BY A LOT OF WATER!).**

**IMPORTANT !!!**

- 1) BEST TEMPERATURE FOR THE APPLICATION AND STORAGE : between 5° - 45° degrees.
- 2) BEST PH OF : 5.5 – 9 (never less then 5,5, never over 9,5 !!!)
- 3) DO NOT USE ACID, ALKALINE, SANITIZING OR HYGIENE PRODUCTS AT SAME TIME !
- 4) START THIS TREATMENT IN THE AREAS CLOSE TO THE OUTLET POINT, IN ORDER TO AVOID TO HAVE BIG QUANTITIES OF RESIDUALS COMING FROM OTHER TREATED PLANTS.

**WARNING !**

- Keep away from children reach.
- As simple caution, wash Your hands after using the product.  
Store ECOACTISAN® concentrated LIQUID closed in a fresh and dry place between 0°C - 45° C.

**PROFESSIONAL USE ONLY**

CODES : 14CONC2K0058725 – 14CONC2K0015095

## 13 - ECOACTISAN<sup>®</sup> LINE

# ECOACTISAN<sup>®</sup> NEUTRALIZING DEODORIZER

### 3 ACTIONS IN 1 :

- it neutralizes bad odours
- it metabolizes organic residuals
- it does not damage the environment!

### CONCENTRATE

u.f.c. : 40.000.000/g

**CHARACTERISTICS :** this biological liquid activator is a compound of selected bacterial cultures; it has been studied to solve all these situations where, having organic residuals, they ferment and cause bad odours and noxious gas.

**Its double action** works on neutralizing bad odours and metabolising then removing organic residuals

**Suitable for :** POROUS FLOORS AND SURFACES, CARPETS, MOQUETTES, MATTRESSES, FABRICS, GYMNASTIC SHOES, TOILETTES, WELLS, URINALS, WC, PET ODOURS, TRASH CANS, TRASH COMPACTORS, DUST-BIN ROOMS, ETC.

It must be considered as an ecological product above all; it is completely biodegradable and hence it doesn't contain environment corrosive or dangerous substances. It is neither toxic, nor dangerous.

**COMPOSITION :** this liquid ECOACTISAN<sup>®</sup> NEUTRALIZING DEODORISER is a mixture containing selected bacterial spores able to do a complete and fast metabolization of organic materials.

**It doesn't contain pathogenous bacteria.**

**DAILY DOSAGE :** **POROUS FLOORS AND SURFACES :**

**AS STARTING PERIOD, FIRST WEEK :** dilute 1 : 5 (200 ml 1 l water); with 1 l of dilute product, you may spray 10 m<sup>2</sup> of surface to treat.

**AS MAINTENANCE :** dilute 1 : 10 (100 ml for 1 l water); with 1 l of dilute product, you may spray 10 m<sup>2</sup> of surface to treat.

**CARPETS, MOQUETTE, FABRICS, ETC. :**

**TO REMOVE BAD ODOURS :** dilute 1 : 4 (250 ml for 1 l water);

**TO REMOVE ORGANIC SPOTS :** take away organic material as you can; wet with water the dirty area; spray 30/50 ml every 30-50 m<sup>2</sup>; brush and let the product penetrate; cover with a wet path and leave it around 8 hours. For very strong spots, repeat the operation.

**TOILETTES, URINALS, WELLS, SIFONS, ETC.** : spray the product and make the surface wet; let it dry alone.

**BEDSTEADS AND CASES FOR ANIMALS** : wet with water the bottom of the case (or bedstead); 400 ml pour on it the product : 15 ml for little animals, 40 ml for big animals.

**USE :**

**DILUTE ONLY THE PRODUCT YOU NEED AT THE MOMENT (DILUTION LIFE IS 24 HOURS)**

- 1) **WHEN YOU DILUTE ECOACTISAN<sup>®</sup> NEUTRALIZING DEODORISER, USE TEPID WATER** LEAVE IT HALF AN HOUR FOR MAKING BACTERIA ACTIVE.

**SHAKE THE PRODUCT BEFORE USING.**

- 2) THE EVENING IS THE BEST MOMENT TO DO THE APPLICATION (LESS EVAPORATION, LESS USE OF THE DRAINS).
- 3) POUR THE PRODUCT IN SEVERAL POINTS IN ORDER TO HAVE THE BEST HOMOGENEITY.

**IMPORTANT :**

- 1) BEST TEMPERATURE OF : 15° C - 35° C  
(never less then 5° C, never over 45° !!!)
- 2) BEST PH OF : 6 – 8  
(never less then 5,5, never over 9,5 !!!)
- 3) DO NOT USE ACID, ALKALINE, SANITIZING OR HYGIENE PRODUCTS AT SAME TIME !

**WARNING !**

keep far from children reach;  
as simple caution, wash Your hands after using the product;  
store ECOACTISAN<sup>®</sup> NEUTRALIZING DEODORIZER closed in a fresh and dry place between 5° C - 45° C.

**PROFESSIONAL USE ONLY**

CODES : 14DEOD1K0054087 - 14DEOD1K0014088 - 14DEOD1K0014089

## 13 - ECOACTISAN® LINE

# ECOACTISAN® URINALS

DEODORIZING BLOCK FOR PUBLIC URINALS

u.f.c. : 400.000.000 - 500.000.000/dose

**High concentration**

**CHARACTERISTICS :** biological activator in little block for the maintenance and the deodorization of urinals.

It removes bed odours caused by urea gas residuals and uncontrolled bacterial metabolization.

It removes glogging caused by residual crystalization .

The presence of an high *U.f.c.* makes this biological activator acting quickly, saving a lot of money for usual maintenance of the whole system of drains.

The strong resistance and adaptability of the micro-organisms prevent the formation of organic deposits, getting rid the first cause of bed odours and gloggings.

*LITTLE BLOCKS REALLY EASY TO USE.*

**Suitable for : URINALS**

It must be considered as an ecological product above all; it is completely biodegradable.

**COMPOSITION :** this tablet contains selected biological coltures, anionic surfactants, colours and perfumes (3, 7-Dimethyl-6-octenal, Citral, d-limonene and trans-3, 7-Dimethyl-2, 6-octadien-1-ol. May produce an allergic reaction.)

**DOSAGE :** 1 BLOCK EACH INSTALLATION TO BE TREATED.  
(DURATION : 15 / 30 days, it depends on urinal use)

**It's always recommended, in order to obtain the best dosage, to consult the technical office.**

**IMPORTANT!!**

**DO NOT USE ACID, ALKALINE, SANITIZING OR HYGIENE PRODUCTS AT SAME TIME !**

**WARNING !**

**Xi IRRITATING**

- Irritating to skin
- Risk of serious damage to eyes
- May cause sensitisation by skin contact
- Keep away from children reach.
- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
- Wear suitable gloves and eye/face protection
- If swallowed, seek medical advice immediately and show this container or label.

**Store ECOACTISAN® URINALS well closed in a fresh and dry place between 0° C - 45° C.**

**PROFESSIONAL USE ONLY**

CODES : 14URIPBC1368202 – 14URIPBC0258201



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Рязань (4912)46-61-64	Томск (3822)98-41-53
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Самара (846)206-03-16	Тула (4872)33-79-87
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Санкт-Петербург (812)309-46-40	Тюмень (3452)66-21-18
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саратов (845)249-38-78	Ульяновск (8422)24-23-59
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Севастополь (8692)22-31-93	Улан-Удэ (3012)59-97-51
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саранск (8342)22-96-24	Уфа (347)229-48-12
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Сочи (862)225-72-31	Челябинск (351)202-03-61
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Сургут (3462)77-98-35	Чита (3022)38-34-83
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Тамбов (4752)50-40-97	Ярославль (4852)69-52-93
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81	Пермь (342)205-81-47	Тверь (4822)63-31-35	

Россия +7(495)268-04-70	Казахстан +(727)345-47-04	Беларусь +(375)257-127-884	Узбекистан +998(71)205-18-59	Киргизия +996(312)96-26-47
-------------------------	---------------------------	----------------------------	------------------------------	----------------------------

эл.почта: [ehi@nt-rt.ru](mailto:ehi@nt-rt.ru) || сайт: <https://ecochem.nt-rt.ru/>