

Дезодоранты длительного действия и воски

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ehi@nt-rt.ru || сайт: <https://ecochem.nt-rt.ru/>



11 - AUTOMOTIVE LINE

SPEZIAL Wood Essence

Long lasting deodoriser

CONCENTRATE

CHARACTERISTICS :

- Super-concentrated essence;
- long lasting deodoriser ; it can be sprayed in the rubbish bin, in the ashtrays, in the corners, etc
- excellent in deodorising and covering unpleasant odours;
- cleaning power too if used on washable surfaces;
- antistatic action.
- **Shake the product before use !**

DILUTION AND USE :

As deodoriser: DO NOT DILUTE; simply spray SPEZIAL – Wood Essence in the room or pour it on a surface.

When used in the car, spray a small quantity on the floor.
Do not spray on the seats, walls, etc.. It could leave traces.

As deodorising-detergent: dilute 5 ml in 5 l water).

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement

Code(s):

Warning



Causes serious eye irritation.

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects.

Precautionary statements:

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Contains:

(2-methoxymethylethoxy)propanol, 1,2-benzisothiazol-3(2H)-one, nonionic surfactants, tetrasodium ethylene diamine tetraacetate

11 - AUTOMOTIVE LINE

SPEZIAL Green Essence

Long lasting deodoriser

CONCENTRATE

- CHARACTERISTICS :**
- Super-concentrated essence;
 - long lasting deodoriser ; it can be sprayed in the rubbish bin, in the ashtrays, in the corners, etc
 - excellent in deodorising and covering unpleasant odours;
 - cleaning power too if used on washable surfaces; antistatic action.
 - **Shake the product before use !**

DILUTION AND USE : **As deodoriser:** DO NOT DILUTE; simply spray SPEZIAL – Green Essence in the room or pour it on a surface.

When used in the car, spray a small quantity on the floor.
Do not spray on the seats, walls, etc.. It could leave traces.

As deodorising-detergent: dilute 5 ml in 5 l water).

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Warning** Causes serious eye irritation.

Code(s): May cause an allergic skin reaction.



Harmful to aquatic life with long lasting effects.

Precautionary statements:

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Contains:

(2-methoxymethylethoxy)propanol, 1,2-benzisothiazol-3(2H)-one, nonionic surfactants, tetrasodium ethylene diamine tetraacetate

PROFESSIONAL USE ONLY

CODES : 01DE3FIM7509615

01- CLEANING AND MAINTENANCE DETERGENTS LINE

SPEZIAL Sweet Essence

Long lasting deodoriser

CONCENTRATE

- CHARACTERISTICS :**
- Super-concentrated essence;
 - long lasting deodoriser ; it can be sprayed in the rubbish bin, in the ashtrays, in the corners, etc
 - excellent in deodorising and covering unpleasant odours;
 - cleaning power too if used on washable surfaces; antistatic action.
 - **Shake the product before use !**

DILUTION AND USE : **As deodoriser:** DO NOT DILUTE; simply spray SPEZIAL – Sweet Essence in the room or pour it on a surface.

When used in the car, spray a small quantity on the floor.
Do not spray on the seats, walls, etc.. It could leave traces.

As deodorising-detergent: dilute 5 ml in 5 l water.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement Code(s): **Warning** May cause an allergic skin reaction.
Causes serious eye irritation.
Harmful to aquatic life with long lasting effects.



Supplemental Hazard statement Code(s): Safety data sheet available on request.

Precautionary statements: Avoid release to the environment.
Wear protective gloves/protective clothing/eye protection/face protection.
IF ON SKIN: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation or rash occurs: Get medical advice/attention.
Wash contaminated clothing before reuse.

Contains: (2-methoxymethylethoxy)propanol, 2-bromo-2-nitropropan-1,3-diol; 5-COLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1), nonionic surfactants, tetrasodium ethylene diamine tetraacetate, perfume, Hexyl cinnam-aldehyd

UFI: 6863-10F0-900D-CNQW

Safety data sheet available on request for professional users

CODES : 01DE2VOM7509616

11 - AUTOMOTIVE LINE

SPEZIAL Spring Essence

Long lasting deodoriser

CONCENTRATE

- CHARACTERISTICS :**
- Super-concentrated essence;
 - long lasting deodoriser ; it can be sprayed in the rubbish bin, in the ashtrays, in the corners of the rooms, on the carpets of the cars, etc
 - excellent in deodorising and covering unpleasant odours;
 - cleaning power too if used on washable surfaces;
 - antistatic action.
 - **Shake the product before use !**

DILUTION AND USE : **As deodoriser:** DO NOT DILUTE; simply spray SPEZIAL – Spring Essence in the room or pour it on a surface.

When used in the car, spray a small quantity on the floor.
Do not spray on the seats, walls, etc.. It could leave traces.

As deodorising-detergent: dilute 5 ml in 5 l water.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement
Code(s):

Warning



May cause an allergic skin reaction.
Causes serious eye irritation.
Harmful to aquatic life with long lasting effects.

Supplemental Hazard
statement Code(s):

not applicable

Precautionary
statements:

Avoid release to the environment.
Wear protective gloves/protective clothing/eye protection/face protection.
If on the skin: wash with plenty of water.
If in the eyes: rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation or rash occurs: get medical advice/attention.
If eye irritation persists: get medical advice/attention.
Wash contaminated clothing before re-use.

Contains:

1,2-benzisothiazol-3(2H)-one, non-ionic surfactants, perfume.

11 - AUTOMOTIVE LINE

EXTRA CAR CHEM

with BRIGHTING ACTION

CONCENTRATE

CHARACTERISTICS : **PRE-WASHING FOAMY DETERGENT.**

High performances when used as pre-washing detergent on industrial vehicles, trucks, vans, cars, etc.

Excellent when used manually, it cleans very quickly leaving sparkling surfaces. Sponging action not needed. During warm seasons, it guarantees good results when used on any external parts of the vehicles.

DILUTION & USE : **SHAKE THE PRODUCT BEFORE USE !**

Suggested solution: from 1,5% till 2% (150 ml - 200 ml product to 10 l water).

Spray the surface to clean, let the product work a little bit and rinse.

In automatic washing systems, dosing pump equipped, we suggest to use pure product and program the pump directly, putting the inlet of the pure product on 15 g -20g /per vehicle, in compliance with the used system and its specific washing and working conditions (ex.: speediness of the chain, type of washing plant, temperature, etc.).

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger**

Causes severe skin burns and eye damage.

Code(s):



Precautionary statements:

Wash with water thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Wash contaminated clothing before reuse.

Dispose of the product/container in accordance with existing regulations.

Contains:

tetrasodium ethylenediaminetetraacetate, Anionic surfactants, mixture of non-ionic surfactants and amphoteric surfactants, nonionic surfactants, sodium hydroxide

Contains
(Reg.EC 648/2004):

5% < 15% anionic surfactants, EDTA and salts thereof, < 5% mixture of cationic surfactants, nonionic and amphoteric, non-ionic surfactants

UFI: QM13-Q05J-R00P-M78E

Safety data sheet available on request for professional users

CODES : AU40205K0258286

11 - AUTOMOTIVE LINE

CAR-BODY WAX C.A.4003

CHARACTERISTICS : the formulation of this product contains high biodegradable active principles

- suited to make coach-works and painted surfaces sparkling;
- very high cleaning and solubilising power;
- it does not contain silicones;
- it does not damage paints;
- **it makes coach-works drying operation deeply easier washing in automatic systems.**

DILUTION AND USE : dilute 10% to 20% (1 l - 2 l product in 10 l - 20 l water).

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement Code(s): **Danger** Causes severe skin burns and eye damage.
Harmful to aquatic life with long lasting effects.



Supplemental Hazard statement Code(s): Contains perfume, 2-bromo-2-nitropropan-1,3-diolo; 5-COLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1). May produce an allergic reaction.

Precautionary statements: Do not breathe vapours.
Wash with water thoroughly after handling.
Avoid release to the environment.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Wash contaminated clothing before reuse.
Store locked up.
Dispose of the product/container in accordance with existing regulations.

Contains: cationic surfactants, nonionic surfactants, 2-bromo-2-nitropropan-1,3-diolo; 5-COLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1)

Contains (Reg.EC 648/2004): 15% < 30% cationic surfactants, < 5% non-ionic surfactants

UFI: 7H13-60G5-F005-YVPC

Safety data sheet available on request for professional users

CODES : AU40030K0101458 - AU40030K2001624 - AU40030K0018789 –
AU40030K0018790 – AU40030K010B011

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ehi@nt-rt.ru || сайт: <https://ecochem.nt-rt.ru/>