

Моющие и чистящие средства для ухода за лодками

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ehi@nt-rt.ru || сайт: <https://ecochem.nt-rt.ru/>



11 - BOAT LINE

TABLETS for WATER TANKS

CONCENTRATE

CHARACTERISTICS : this product has been formulated di-chlorine-isocyanurate salt based, and contains 1.2 g active chlorine per each tablet.
 Suited for water tanks chlorination
 Hypochloric acid free by the product is present in solution at a pH of 6 to 6.5.
 Thanks to that, it acts faster than sodium hypochlorite does, having the advantage of being stable over time and being sure of its effective active chlorine during its use.

DILUTION AND USE : each 3,8 g tablet contains 56% of available dichlorisocyanurate salt, it means 1,2 g of available chlorine per tablet.
 The right concentration of use depends on conditions of dirt and sanitary measure required.

The minimum guaranteed content in the water is 0,2 mg/L, corresponding to 1 tablet every 100/150 l of water.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement Code(s):



Warning Harmful if swallowed.
 Causes serious eye irritation.
 May cause respiratory irritation.
 Very toxic to aquatic life. (1)
 Very toxic to aquatic life with long lasting effects. (1)

Supplemental Hazard statement Code(s):

Contact with acids liberates toxic gas.
 Warning! Do not use together with other products. May release dangerous gases (chlorine).

Precautionary statements:

Do no eat, drink or smoke when using this product.
 Use only outdoors or in a well-ventilated area.
 Avoid release to the environment.
 Wear protective gloves/protective clothing/eye protection/face protection.
 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical advice/attention.
 Store locked up.
 Dispose of the product/container in accordance with existing regulations.

Contains:

Troclosene sodium, dihydrate, adipic acid.

Contains (Reg.EC 648/2004): chlorine-based bleaching agents> 30%

PROFESSIONAL USE ONLY

CODES : 13NAU10K0019005

11 - BOAT LINE

KEEL ACID DETERGENT

CHARACTERISTICS : this product has been conceived to remove lime-scale from the keels of the boat efficiently, thanks to its high penetrating power.

DILUTION : prepare solutions with 5% to 20% (500 ml - 2 l product in 10 l water) product according to the thickness of the deposits to remove;
after treatment, rinse with water abundantly;
we suggest to neutralize the effluent waters before discharging them into depuration plants or sewer systems.

USE : prepare solutions in a bucket and wet the surface to clean by a machine or manually. Let it work few minutes, it could need to repeat this operation more times before rinsing.
Rinse abundantly.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement
Code(s):

Danger



Danger



May be corrosive to metals.
Causes severe skin burns and eye damage.
May cause respiratory irritation.
May cause drowsiness or dizziness.

Precautionary statements:

Keep only in original container.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.

Contains: chloridric acid

Contains (Reg.EC 648/2004): < 5% non-ionic surfactants

PROFESSIONAL USE ONLY

CODE : 13NAU11K0259006

11 - BOAT LINE

SEATS DEGREASER & SOLAR OILS REMOVER

CHARACTERISTICS : the formulation of this product contains high biodegradable active principles

- It degreases and cleans leaving a good fragrance after the operation;
- **Strong power in removing animal or vegetal or mineral oils from washable surfaces;**
- Specific for cleaning false leather of the seats of the boat;

If used on textile, plastic, or in different applications, check in advance the compatibility of the materials and colour resistance.

When used on clothes before washing, it is a very good pre-washing additive.

DILUTION : Ready to use.

USE : Spray the product on the surface to clean than rub with a sponge or cloth or suitable tool.
Rinse.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement Code(s): **Danger** Causes serious eye damage



Supplemental Hazard statement Code(s): Contains perfume, 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1). May produce an allergic reaction.

Precautionary statements: Wear protective gloves/protective clothing/eye protection/face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.

Contains: Anionic surfactants, perfume, Citronellol, Geraniol, 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1)

Contains (Reg.EC 648/2004): 5% < 15% anionic surfactants, < 5% perfumes, EDTA and salts thereof, phosphates, non-ionic surfactants, Citronellol, Geraniol

UFI: XP03-40K6-D007-CFUQ

Safety data sheet available on request for professional users

CODES : 13NAUT1L0108996

11 – BOAT LINE

CREAM for GELCOAT CLEANING

CONCENTRATE

CHARACTERISTICS : this product is a thick, milky and pleasantly perfumed liquid cream. It is a stable emulsion of a solid part, consisting of a very fine mineral and a special liquid part

- high concentrated formulation;
- very efficient cleaning power;
- it doesn't scratch the surfaces;
- ideal for GELCOAT cleaning;
- lightly lime perfumed.

DILUTION : **READY TO USE.**

USE : ***SHAKE THE PRODUCT BEFORE USE!***
Pour the product over a sponge or wet rag or directly on the surface to clean, rub and then rinse it.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Warning** Causes serious eye damage.

Code(s):



Supplemental Hazard statement Code(s):

Contains 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1), perfume. May produce an allergic reaction.

Precautionary statements: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Contains: Anionic surfactants, perfume, Limonene, nonionic surfactants, 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1)

Contains (Reg.EC 648/2004): 45% <60% natural calcium carbonate, 5% < 15% non-ionic surfactants, anionic surfactants, < 5% perfumes, Limonene

UFI: 7WY2-K0CM-M00S-DDM4

Safety data sheet available on request for professional users

CODE : 13NAUT2K0138997

11 – BOAT LINE

BOAT UNBLOC

CHARACTERISTICS :

- this product contains a very efficient mixture of lubricants, solvents, penetrating agents, corrosion inhibitors and protective substances; suited to unblock any kind of gears, cables, chains, engines, etc.;
- it prevents problems of filling of metallic material during working time without using a freezing liquid;
- it contains a very efficient mixture of lubricants, solvents, penetrating agents, corrosion inhibitors and protective agents;
- it contains anti-oxidising agents to protect metals for long time;
- long-term protection against corrosive attacks;
- it does not attack paints, synthetic rubber and plastic materials;
- its high penetration grants to oil inside pieces, difficult to reach;
- it works in a short time;
- perfect lubrication under 0°C temperature too.

DILUTION :

READY FOR USE. SHAKE THE CYLINDER BEFORE USING.

USE :

spray the product directly and uniformly on the surface to oil; let the product work then start to unblock the piece.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger**
Code(s):



Extremely flammable aerosol.
Pressurised container: May burst if heated.

Precautionary statements:

Keep out of reach of children.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Do not spray on an open flame or other ignition source.
Do not pierce or burn, even after use.
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Contains:

Content of VOC ready to use condition: 100,00 %

PROFESSIONAL USE ONLY CODES : 13NAUT3M4008998

IT CONTAINS NEW GENERATION PRESSURING AGENTS NOT POLLUTION MAKERS FOR THE OZONE OF THE STRATOSPHERE; THAT'S WAY IT IS CONSIDERED AN ECOLOGICAL PRODUCT.

DO NOT GET RID OF THE CONTAINER IN THE ENVIRONMENT AFTER USE.

11 - BOAT LINE

ANTI-MOULD for SEATS

Active Chlorine Detergent

CHARACTERISTICS : Active Chlorine Gel, it has a strong blanching, hygiene and degreasing action.

Suggested for removing mould from seats, plastics and washable surfaces in general.

DILUTION: READY TO USE.

USE :

- 1) Spray on the surface to treat;
- 2) let it react and work few minutes;
- 3) rinse with water.

**IMPORTANT ! AVOID THE CONTACT WITH TEXTILE :
CARPETS, CLOTHES, ETC.**

Be careful on coloured surfaces!!!!

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger** Causes skin irritation.
Code(s): Causes serious eye damage.



Precautionary statements:

- Wash with water thoroughly after handling.
- Wear protective gloves/protective clothing/eye protection/face protection.
- IF ON SKIN: Wash with plenty of water.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Immediately call a POISON CENTER/doctor.
- If skin irritation occurs: Get medical advice/attention.
- Take off contaminated clothing.

Contains: Sodium Hypochlorite , Potassium Cocoate, Active packaging Cl2 3.5%.

Contains (Reg.EC 648/2004): < 5% amphoteric surfactants.

PROFESSIONAL USE ONLY

CODES : 13NAUT4L0108999

11 - BOAT LINE

BOAT DEGRASING DETERGENT

**Multipurpose strong degreaser for teak-wooden
(TEACK) & washable surfaces
by HYDRO-CLEANING & MANUAL**

CHARACTERISTICS : the formulation of this product contains very high biodegradable active principles and it is phosphorus free. Studied to solve any kind of degreasing problem, it is a real technical strong degreaser useful in any situations:

- HIGHLY ALCALINE & STRONGLY EFFICIENT, this product solves any kind of cleaning problem in a short time;
- suited for removing difficult stains of oil and grease from floors, machines, mechanical parts, engines and painted surfaces;
- **suited to be used in dockyards too;**
- it doesn't contain **neither silicones, nor solvents.**

DILUTION : use 1% to 5% dilution (100 ml - 500 ml product in 10 l water) according to the degree of dirt to remove.

USE : the product may be applied manually or by low pressure sprayers, automatic washing systems, hydro-cleaners, washing-drying machines etc.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger** Causes severe skin burns and eye damage.

Code(s):



Supplemental Hazard statement Code(s): not applicable

Precautionary statements:

Wash with water thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Dispose of the product/container in accordance with existing regulations.

Contains: sodium hydroxide

Contains (Reg.EC 648/2004): 5% < 15% anionic surfactants, < 5% non-ionic surfactants, NTA (nitrilotriacetic acid) and salts ther

UFI: KFU2-80FY-Q001-0N9S

Safety data sheet available on request for professional users

CODES : 13NAUT5K0109000

11 - BOAT LINE

ECO SENTINET /S BILGES & DREGS

CONCENTRATE

CHARACTERISTICS : the formulation of this product contains high biodegradable active principles and it is phosphorus free

Specific detergent for cleaning bilges; a small quantity of ECO SENTINET poured in the bilge when boat is moving, let us keep the most difficult and covered places clean.

HIGH EFFICIENCY IN REMOVING DREGS.

DILUTION : mix 1 litre concentrate with 3 - 4 litres water;

use a 10% dilution (1 l product in 10 l water) to remove light soil, according to the degree of dirt to remove.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger**

Code(s):



Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

Precautionary statements:

Avoid breathing vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Dispose of the product/container in accordance with existing regulations.

Contains:

2-aminoethanol, non-ionic surfactants, 2-butoxyethanol

Contains

(Reg.EC 648/2004):

< 5% non-ionic surfactants

UFI: A893-R0KW-000Q-GM45

Safety data sheet available on request for professional users

CODES : 13NAUT7K0109002

11 - BOAT LINE

ECO SENTINET BILGES & DREGS

CHARACTERISTICS : the formulation of this product contains high biodegradable active principles and it is phosphorus free

Specific detergent for cleaning bilges; a small quantity of ECO SENTINET poured in the bilge when boat is moving, let us keep the most difficult and covered places clean.

HIGH EFFICIENCY IN REMOVING DREGS.

DILUTION : mix 1 litre concentrate with 3 - 4 litres water;

use a 10% dilution (1 l product in 10 l water) to remove light soil, according to the degree of dirt to remove.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement Code(s): **Danger** Causes skin irritation.
Causes serious eye damage.



Supplemental Hazard statement Code(s): Contains 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1). May produce an allergic reaction.

Precautionary statements: Wear protective gloves/protective clothing/eye protection/face protection.
IF ON SKIN: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
If skin irritation occurs: Get medical advice/attention.

Contains: 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1), sodium hydroxide, sodium metasilicate pentahydrate

Contains (Reg.EC 648/2004): 5% < 15% anionic surfactants, < 5% non-ionic surfactants, EDTA and salts thereof

UFI: 0313-P015-W00Q-N5S1

Safety data sheet available on request for professional users

CODE : 13NAUT8K0109003

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ehi@nt-rt.ru || сайт: <https://ecochem.nt-rt.ru/>