

Специальные дезинфицирующие моющие средства

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ehi@nt-rt.ru || сайт: <https://ecochem.nt-rt.ru/>



04- ECO TECHNICAL LINE

HYGIENE/SANITARY DETERGENT FOR VARIOUS CONTAINERS D.C.1013

CHARACTERISTICS : the formulation of this product contains high biodegradable active principles and it is phosphate free

- it ensures a deep cleaning, removing the most difficult and bulky dirt;
- very high flocculating power;
- HYGIENE/SANITARY and deodorising actions on the treated surfaces;
- suited for cleaning rubbish containers, lorry and trailer bodies, canvas truck, covers etc;
- it eliminates unpleasant odours in industries, in particular in food industries.

DILUTION : use 2% to 4% (200 ml - 400 ml product in 10 l water) dilution for cleaning and hygiene;
For deep cleaning, use an higher concentration.

USE : the product must be used with hydro-cleaners or steam nozzle, allowing time for proper reaction;
the use of warm water favours the sanitising and cleaning action.
For a stronger and longer action, use Ecoactisan® Deodorizer, after this treatment.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement Code(s): **Danger**



Causes skin irritation.
Causes serious eye damage.
Harmful to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s):

Contains 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1) perfume.
May produce an allergic reaction

Precautionary statements:

Avoid release to the environment.
Wear protective gloves/protective clothing/eye protection/face protection.
IF ON SKIN: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation occurs: Get medical advice/attention.
Dispose of the product/container in accordance with existing regulations.

Contains:

tetrasodium ethylene diamine tetraacetate, nonionic surfactants, perfume, cationic surfactants, 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1)

Contains (Reg.EC 648/2004):

>= 5% < 15% non-ionic surfactants, < 5% perfumes, cationic surfactants, EDTA and salts thereof

UFI: 74E3-H0NR-S00Y-8YC2

Safety data sheet available on request for professional users

CODES : 1510130L0100409

04- ECO TECHNICAL LINE

DETERGRAFF SUPER REMOVER FOR PAINT AND GRAFFITY

HIGH CONCENTRATION

CHARACTERISTICS : this product is suited to remove incrustations and paints from any kind of washable surfaces

VERY STRONG PRODUCT !!!

VERY DEEP PENETRATION IN PAINT LEYERS !!!

DILUTION : **READY TO USE**

USE : it may be applied on the surface by brush, pad, buffer or spraying; remove the paint by a clean pad or absorbent paper.

IMPORTANT NOTICE ! before using this product on painted surfaces, try it on a small part of it to check colour and the contact time to let it work ! In warm season the speed of penetration of this product into the paint layers of the surface to treat increases a lot, so we suggest to check it in a small covered part to avoid to take away the colour of the surface too !

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger**

Code(s):



Harmful if swallowed or if inhaled

Causes skin irritation.

Causes serious eye damage.

Precautionary statements:

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash with water thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

IF ON SKIN: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Call a POISON CENTER/doctor/... if you feel unwell.

Rinse mouth.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Dispose of the product/container in accordance with existing regulations.

Contains:

alcohols, nonionic surfactants, 2-butoxyethanol, propan-2-ol, 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1)

**Contains
(Reg.EC 648/2004):**

< 5% non-ionic surfactants

UFI: 16E3-10C5-300G-X9X4

Safety data sheet available on request for professional users

CODES : 13GRAFIK0101947

04- ECO TECHNICAL LINE

DETER SOL PAINT AND GRAFFITY REMOVER

CHARACTERISTICS : this product is suited to remove incrustations and paints from any kind of washable surfaces.

DILUTION : dilute the product from 10% to 50% (1 l – 5 l product in 10 l water), in order to your necessity.

USE : it may be applied on the surface by brush, pad, buffer or spraying; remove the paint by a clean pad or absorbent paper.

IMPORTANT NOTICE ! before using this product on painted surfaces, try it on a small part of it to check colour resistance and the contact time to let it work !

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger**
Code(s):



Harmful if swallowed or if inhaled.
Causes skin irritation.
Causes serious eye damage.

Precautionary statements: Avoid breathing vapours.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
IF ON SKIN: Wash with plenty of water.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Call a POISON CENTER/doctor/... if you feel unwell.
If skin irritation occurs: Get medical advice/attention.
Dispose of the product/container in accordance with existing regulations..

Contains: 2-Butoxyethanol , 2-aminoethanol, nonionic surfactants, alcohols

Contains
(Reg.EC 648/2004): < 5% non-ionic surfactants

UFI: W9E3-J01J-D00Y-KNH6

Safety data sheet available on request for professional users

CODES : 13SOLVEL0101948

04- ECO TECHNICAL LINE



SOLAR PANEL CLEANER

S.P.C. 2023

CONCENTRATE

KEEPING HIGH EFFICIENCY OF YOUR SOLAR PANELS is the most important thing in order to make your the investment worthwhile.

Dust only can reduce the efficiency up to 10% but strong dirt – smog, bird droppings, water spotting/streaking, etc. make them work less, reducing efficiency till 40%!!!!

Consequently, periodical check and cleaning of solar panels is very important in order to produce and deliver the maximum amount of energy to the grid.

CHARACTERISTICS : the formulation of this product contains high biodegradable active principles and it is phosphorus free

- specific product for solar panel cleaning;
- detergent for deep cleaning without stains & residuals;
- light & delicate foam.

DILUTION : dilute the product from 1% to 5% (100 ml - 500 ml product in 10 l water), in order to the degree of dirt to remove.

USE :

- 1) apply the product with a sponge or suitable equipment or foam sprayer ;
- 2) rinse with water (soft water is suggested).

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger**
Code(s):



Causes serious eye damage.
Harmful to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s):

Contains 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1), perfume. May produce an allergic reaction.

Precautionary statements:

Wear protective gloves/protective clothing/eye protection/face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Dispose of the product/container in accordance with existing regulations.

Contains:

tetrasodium ethylene diamine tetraacetate, 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1), nonionic surfactants, perfume, Citral, Anionic surfactants

Contains
(Reg.EC 648/2004):

5% < 15% non-ionic surfactants, anionic surfactants, < 5% perfumes, EDTA and salts thereof, Citral

UFI: FJ73-M0SX-V00T-8SFV

Safety data sheet available on request for professional users

CODES : 061008AL0109723



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Рязань (4912)46-61-64	Томск (3822)98-41-53
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Самара (846)206-03-16	Тула (4872)33-79-87
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Санкт-Петербург (812)309-46-40	Тюмень (3452)66-21-18
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саратов (845)249-38-78	Ульяновск (8422)24-23-59
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Севастополь (8692)22-31-93	Улан-Удэ (3012)59-97-51
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саранск (8342)22-96-24	Уфа (347)229-48-12
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Сочи (862)225-72-31	Челябинск (351)202-03-61
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Сургут (3462)77-98-35	Чита (3022)38-34-83
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Тамбов (4752)50-40-97	Ярославль (4852)69-52-93
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81	Пермь (342)205-81-47	Тверь (4822)63-31-35	

Россия +7(495)268-04-70	Казахстан +(727)345-47-04	Беларусь +(375)257-127-884	Узбекистан +998(71)205-18-59	Киргизия +996(312)96-26-47
-------------------------	---------------------------	----------------------------	------------------------------	----------------------------