

# Промышленные аэрозольные продукты

## Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [ehi@nt-rt.ru](mailto:ehi@nt-rt.ru) || сайт: <https://ecochem.nt-rt.ru/>



## 04- ECO TECHNICAL LINE

# ECO SBLOC

## Lubricating unblock grease

### CHARACTERISTICS :

- suited to unblock any kind of gears, cables, chains, engines, etc.;
- it prevents problems of filling of metallic material during working time without using a freezing liquid;
- it contains a very efficient mixture of lubricants, solvents, penetrating agents, corrosion inhibitors and protective agents;
- it contains anti-oxidising agents to protect metals for long time;
- long-term protection against corrosive attacks;
- it does not attack paints, synthetic rubber and plastic materials;
- its high penetration grants to oil inside pieces, difficult to reach;
- it works in a short time;
- perfect lubrication under 0°C temperature too.

### DILUTION :

**READY FOR USE.** SHAKE THE CYLINDER BEFORE USING.

### USE :

spray the product directly and uniformly on the surface to oil; let the product work then start to unblock the piece.

### Labelling according to Regulation (EC) No 1272/2008:

**Hazard statement**  
**Code(s):**



**Danger** Extremely flammable aerosol.  
Pressurised container: May burst if heated.

### Precautionary statements:

Keep out of reach of children.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Do not spray on an open flame or other ignition source.  
Do not pierce or burn, even after use.  
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

### Contains:

Content of VOC ready to use condition: 100,00 %

### PROFESSIONAL USE ONLY

DO NOT GET RID OF THE CONTAINER IN THE ENVIRONMENT AFTER USE.

CODES : SPSBLOCM4003471

**IT CONTAINS NEW GENERATION PRESSURING AGENTS NOT POLLUTION MAKERS FOR THE OZONE OF THE STRATOSPHERE; THAT'S WAY IT IS CONSIDERED AN ECOLOGICAL PRODUCT.**

DO NOT GET RID OF THE CONTAINER IN THE ENVIRONMENT AFTER USE.

## 04- ECO TECHNICAL LINE

# ECO INOX

Specific cleaner for polished or glazed stainless steel

- CHARACTERISTICS :**
- suited for washing inox steel / stainless steel surfaces of lifts, equipment in general, etc.;
  - it degreases, cleans and polishes at the same time;
  - it leaves the treated surface shining;


**DILUTION :**                      **READY FOR USE.**

**USE :**                                spray the product uniformly on the surface to clean.  
Because of its high solvent powder, polish manually the wet surface by a wiper **immediately.**

**It is better to clean small areas, one by one,  
the product dries quickly !!!**

**Labelling according to Regulation (EC) No 1272/2008:**

**Hazard statement**   **Danger**   Extremely flammable aerosol.

**Code(s):**                         Pressurised container: May burst if heated.

**Precautionary statements:**   Keep out of reach of children.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Do not spray on an open flame or other ignition source.  
Do not pierce or burn, even after use.  
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

**Contains:**                                non-ionic surfactants, water soluble solvents, alcohols and perfumes.

**Safety data sheet available on request for professional users**

DO NOT GET RID OF THE CONTAINER IN THE ENVIRONMENT AFTER USE.

CODES : SPCLEANM4008911

## 04- ECO TECHNICAL LINE

# ECO CLEANER

**Specific cleaner for glass, stainless steel  
and washable hard surfaces  
with antistatic action**

**CHARACTERISTICS :** this softy strong white foam is suited for any kind of hard or washable surfaces : glass, crystal, ceramic, plastic surfaces, chromed metals, stainless steel surfaces, textiles, etc.;

- it degreases, cleans and polishes at the same time;
- useful to take off dust and smog black spots;
- it leaves the treated surface shining.

**DILUTION :** **READY FOR USE.**

**USE :** spray the product uniformly on the surface to clean.  
Because of its high solvent content, polish manually the wet surface by a wiper, **immediately.**

**It's better to clean small areas, one by one,  
because the product dries quickly !!!**

**Labelling according to Regulation (EC) No 1272/2008:**

**Hazard statement** **Danger**  
**Code(s):**



Extremely flammable aerosol.  
Pressurised container: May burst if heated.

**Precautionary statements:** Keep out of reach of children.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Do not spray on an open flame or other ignition source.  
Do not pierce or burn, even after use.  
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

**Contains:** non-ionic surfactants, water soluble solvents, alcohols and perfumes.

**Safety data sheet available on request for professional users**

DO NOT GET RID OF THE CONTAINER IN THE ENVIRONMENT AFTER

USE. CODES : SPCLEANM4003473

## 04- ECO TECHNICAL LINE

# COMPUTER FOAM

Thick foam for keyboards

**CHARACTERISTICS:** Product designed and created specifically for cleaning the bodywork of cars even with granular surfaces where dirt can persistently nest. Suitable for cleaning the outside of your computer and all related peripherals. Also suitable for all office machines.

**USE:** **FOR BODYWORK:** spray on the surface to be cleaned and clean with a dry cloth, being careful to eliminate any residues.  
**FOR KEYBOARDS:** spray, leave to act for 20/30 seconds, eliminate the foam by blowing with AIR SPRAY.

### Labelling according to Regulation (EC) No 1272/2008:

**Hazard statement** **Danger**  
**Code(s):**



Extremely flammable aerosol.  
Pressurised container: May burst if heated.

### Precautionary statements:

Keep out of reach of children.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Do not spray on an open flame or other ignition source.  
Do not pierce or burn, even after use.  
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

### Contains:

Contains soaps, non-ionic surfactants. EDTA, alcohols.

### FOR PROFESSIONAL USE ONLY

CODES: SPCFOAMM4003291

## 04- ECO TECHNICAL LINE

# AIR SPRAY

### Specific cleaner for COMPUTERS, PRINTERS & HI-FI

**CHARACTERISTICS :** High pressure product, it is suitable anywhere we have to remove the dust from : computers, printers, cameras, recorders, etc;

- it is useful in HI-FI industry and maintenance, where precision and care are required and where dust deposits are in very strange places, impossible to be removed by normal means, etc.;
- a special dispenser valve settles automatically the flow of the air;
- the high pressure removes dust immediately at all.

***Freezing air may be useful applied to remove chewing gum from floors.***

**DILUTION :** READY FOR USE.

**USE :** **Before using, apply the small tube on the up side of the container !**  
Used in the **vertical right way (small tube up)** : spray the air directly on the surface to clean;  
Used in the **vertical opposite way (small tube down)**: spray the freezing air directly on the **chewing gum** to remove, freeze it and remove it !

#### Labelling according to Regulation (EC) No 1272/2008:

**Hazard statement** **Danger** Extremely flammable aerosol.  
**Code(s):** Pressurised container: May burst if heated.



**Precautionary statements:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Do not spray on an open flame or other ignition source.  
Do not pierce or burn, even after use.  
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

**Contains:** Content of VOC ready to use condition: 100,00 %

#### PROFESSIONAL USE ONLY

DO NOT GET RID OF THE CONTAINER IN THE ENVIRONMENT AFTER USE.

CODES : CODES : SPAIRSPM4003475 - SPAIRSPM400A488

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

**Россия** +7(495)268-04-70

**Казахстан** +(727)345-47-04

**Беларусь** +(375)257-127-884

**Узбекистан** +998(71)205-18-59

**Киргизия** +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: [ehi@nt-rt.ru](mailto:ehi@nt-rt.ru) || сайт: <https://ecochem.nt-rt.ru/>