

# Моющие средства для посудомоечных машин

## Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [ehi@nt-rt.ru](mailto:ehi@nt-rt.ru) || сайт: <https://ecochem.nt-rt.ru/>



## 06- COMMUNITY AND KITCHEN LINE

# BRIGHTENING AGENT FOR DISHWASHING-MACHINES/2 B.L.3002/2

**CHARACTERISTICS :** the formulation of this product contains high biodegradable active principles and it is phosphorous free

- good concentration;
- it avoids formation of lime scale deposits during dishes drying;
- it gives brightness to dishes and crockery.

**DILUTION AND USE :** add 10 ml to 15 ml product to every 10 litre water.

**Labelling according to Regulation (EC) No 1272/2008:**

**Hazard statement** **Danger** Causes serious eye damage.  
**Code(s):**



**Supplemental Hazard statement Code(s):** Contains 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1) perfume. May produce an allergic reaction.

**Precautionary statements:** Wear eye protection/face protection.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor.

**Contains:** 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1), 1-Hydroxyethane diphosphonic acid sodium salt solution

**Contains (Reg.EC 648/2004):** 15% < 30% non-ionic surfactants

**UFI: CK83-Q02Q-J00R-6VFN**

**Safety data sheet available on request for professional users**

CODES : 0830022L0100999 – 0830022L0054012 – 0830022L0254146 – 0830022L0018764 – 0830022L0018765

## 06- COMMUNITY AND KITCHEN LINE

# D.D.L.3003 LIME SCALE REMOVING DETERGENT FOR DISHWASHING & WASHING-MACHINE

**CHARACTERISTICS :** this product has been formulated to remove lime scale deposits and ferruginous encrustations from dishwashers, washing-machine and equipment in general.

**DILUTION & USE :** prepare a solution containing 2% to 10% (200 ml - 1 l product in 10 l water) product according to the thickness of the lime scale and ferruginous layers to remove.  
- Let the machine work for 15 – 20 minutes at a temperature of 40° - 50°.  
- Discharge the solution and rinse abundantly.

**USE :**  
1) apply the solution by brush or spray or by dripping.  
**The contact time** is very important in order to favour the chemical attack of the layers to remove;  
2) rinse abundantly with water .

**Labelling according to Regulation (EC) No 1272/2008:**

**Hazard statement** **Danger** Causes severe skin burns and eye damage.  
**Code(s):**



**Supplemental Hazard statement Code(s):** not applicable

**Precautionary statements:** Do not breathe vapours.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor.  
Dispose of the product/container in accordance with existing regulations.

**Contains:** phosphoric acid

**UFI: NKT2-60K0-N003-D7G4**

**Safety data sheet available on request for professional users**

CODES : 0530030K0061095 - 0530030K0123841 - 0530030K0301069 – 0530030K0065066 –  
0530030K0018762 – 0530030K0018763

## 06- COMMUNITY AND KITCHEN LINE

# SUPER DETERGENT FOR DISHWASHING-MACHINES - SUITABLE ON ALLUMINIUM - D.L.3001/AL

### SUPER CONCENTRATE

**CHARACTERISTICS :** this product has been formulated on the base of active principles adequate to any kind of automatic dishwashing system.

- very high concentration;
- high soaping action;
- very low foam formation;
- suited for water of any kind of hardness;
- it prevents and avoids the formation of lime scale deposits;
- **SUITED ON ALUMINIUM SURFACES !**

**DILUTION AND USE :**

water hardness in French degrees	quantity per litre of water
soft 0 - 15° F	1 ml
medium 15° - 25° F	1.5 ml
hard over 25° F	2 ml

**Labelling according to Regulation (EC) No 1272/2008:**

**Hazard statement** **Danger** Causes severe skin burns and eye damage.

**Code(s):**



**Precautionary statements:** Wear protective gloves/protective clothing/eye protection/face protection. - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. - IF INHALED: Remove person to fresh air and keep comfortable for breathing. - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. - Immediately call a POISON CENTER/doctor. - Dispose of the product/container in accordance with existing regulations.

**Contains:**

1-Hydroxyethanediphosphonic acid sodium salt solution, sodium hydroxide, Sodium metasilicate.

**UFI: U4Y2-1051-V00A-FACJ**

**Safety data sheet available on request for professional users**

CODES : 083001QK0063846 - 083001QK0301944 – 083001QK0018760 – 083001QK0018761

## 06- COMMUNITY AND KITCHEN LINE

# CHLORINE DISHWASHING-MACHINE DETERGENT D.L.3001/C

**CHARACTERISTICS :** this product has been formulated on the base of active principles adequate to any kind of industrial dishwashing-machines.

- **below 5% active chlorine: hygiene action.**
- good concentration;
- good saponifying action;
- low foam formation;
- it prevents new deposits;
- **NOT USEFUL ON ALUMINIUM SURFACES.**

**DILUTION AND USE :**

water hardness in French degree	quantity per litre of water
soft 0 - 15° F	5 ml
medium 15° - 25° F	6 ml
hard over 25° F	7 ml

**Labelling according to Regulation (EC) No 1272/2008:**

**Hazard statement** **Danger**  
**Code(s):**



Causes severe skin burns and eye damage.  
Very toxic to aquatic life with long lasting effects.

**Precautionary statements:**

Do not breathe dust/fume/gas/mist/vapours/spray.  
Wash with water thoroughly after handling.  
Avoid release to the environment.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing.  
Rinse skin with water [or shower].  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor.  
Wash contaminated clothing before reuse.  
Collect spillage.  
Store locked up.  
Dispose of the product/container in accordance with existing regulations.

**Contains:**

Sodium Hypochlorite , potassium hydroxide

**UFI: R973-30QR-Y00A-9RQP**

**Safety data sheet available on request for professional users**

CODES : 08300G1K012B089

## 06- COMMUNITY AND KITCHEN LINE

# D.L.3001/N DETERGENT FOR DISHWASHING-MACHINES

**CHARACTERISTICS :** this product has been formulated on the base of active principles adequate to any kind of automatic industrial dish washing machines.

- high concentration;
- high saponifying action;
- very low foam formation;
- suited for water of any kind of hardness;
- it prevents new deposits;
- **DO NOT USE ON ALUMINIUM SURFACES!**

DILUTION AND USE :	water hardness in French degrees	quantity per litre of water
	soft 0 - 15° F medium 15° - 25° F hard over 25° F	1,2 ml 1,6 ml 2,0 ml

**Labelling according to Regulation (EC) No 1272/2008:**

**Hazard statement** **Danger** Causes severe skin burns and eye damage.

**Code(s):**



**Supplemental Hazard statement Code(s):** not applicable

**Precautionary statements:** Do not breathe dust/fume/gas/mist/vapours/spray.  
Wash with water thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor.  
Dispose of the product/container in accordance with existing regulations.

**Contains:** sodium hydroxide, 1-Hydroxyethane diphosphonic acid sodium salt solution

**Contains** 5 < 15% EDTA and salts thereof  
**(Reg.EC 648/2004):**

**UFI: 2943-D0JV-8000-4TAE**

**Safety data sheet available on request for professional users**

CODES : 08300N1K0061097 - 08300 N1K0123837 - 08300 N1K0301066

## 06- COMMUNITY AND KITCHEN LINE

# SUPER DETERGENT FOR DISHWASHING-MACHINES D.L.3001/S

### CONCENTRATE

**CHARACTERISTICS :** this product has been formulated on the base of active principles adequate to any kind of automatic dishwashing system.

- very high concentration;
- very high saponifying action;
- very low foam formation;
- suited for water of any kind of hardness;
- it avoids the formation of calcareous encrustations;
- suited also for glass washers;
- it prevents new deposits;
- **DO NOT USE ON ALUMINIUM SURFACES !**

**DILUTION AND USE :**

water hardness in French degrees	quantity per litre of water
soft 0 - 15° F	0,8 ml
medium 15° - 25° F	1,2 ml
hard over 25° F	1,6 ml

**Labelling according to Regulation (EC) No 1272/2008:**

**Hazard statement** **Danger** Causes severe skin burns and eye damage.

**Code(s):**



**Precautionary statements:** Do not breathe dust/fume/gas/mist/vapours/spray.  
Wash with water thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor.  
Dispose of the product/container in accordance with existing regulations.

**Contains:** sodium hydroxide, tetrasodium ethylenediaminetetraacetate

**Contains** 5% < 15% EDTA and salts thereof  
**(Reg.EC 648/2004):**

**UFI: KRW2-X03P-Y00D-UV1H**

**Safety data sheet available on request for professional users**

CODES : 08300S1K0061096 - 08300 S1K0301065 – 08300S1K0018758 – 08300S1K0018759 –  
08300S1K0124145

## 06- COMMUNITY AND KITCHEN LINE

# SUPER DETERGENT FOR DISHWASHING-MACHINES D.L.3001/S LTR

### SUPER CONCENTRATE

**CHARACTERISTICS :** this product has been formulated on the base of active principles adequate to any kind of automatic dishwashing system.

- very high concentration;
- very high saponifying action;
- very low foam formation;
- suited for water of any kind of hardness;
- it avoids the formation of calcareous encrustations;
- it prevents new deposits;
- **DO NOT USE ON ALUMINIUM SURFACES !**

**DILUTION AND USE :**

water hardness in French degrees	quantity per litre of water
soft 0 - 15° F	0,6 ml
medium 15° - 25° F	1 ml
hard over 25° F	1,4 ml

Labelling according to Regulation (EC) No 1272/2008:

**Hazard statement** **Danger** Causes severe skin burns and eye damage.  
**Code(s):**



**Precautionary statements:** Do not breathe dust/fume/gas/mist/vapours/spray.  
Wash with water thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing.  
Rinse skin with water [or shower].  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor.  
Dispose of the product/container in accordance with existing regulations.

**Contains:** sodium hydroxide, 1-Hydroxyethane diphosphonic acid sodium salt solution

**Contains** 15 < 30% EDTA and salts thereof  
**(Reg.EC 648/2004):**

**UFI: 5643-V0VF-X00H-FFRC**

**Safety data sheet available on request for professional users**

CODES : 08300A1K0126358 - 08300A1K0301612



## 06- COMMUNITY AND KITCHEN LINE

# LEMON WASH

**CHARACTERISTICS :** Suitable for automatic industrial dish washing machines.

- high degreasing and deodorising power;
- sparking dishes and crockery after washing;
- suited for soft and medium-hardness water.

**Nice lemon fragrance in the end of the washing cycle!**

**- DO NOT USE ON ALUMINIUM SURFACES!**

**DILUTION AND USE :**

water hardness in French degrees	quantity per litre of water
soft 0 - 15° F	1 ml
medium 15° - 25° F	1,5 ml
hard over 25° F	2 ml

**Labelling according to Regulation (EC) No 1272/2008:**

**Hazard statement** **Danger** Causes severe skin burns and eye damage.

**Code(s):**



**Supplemental Hazard statement Code(s):**

Contains perfume. May produce an allergic reaction.

**Precautionary statements:**

Do not breathe vapours.  
Wash with water thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor.  
Dispose of the product/container in accordance with existing regulations.

**Contains:**

sodium hydroxide, tetrasodium ethylenediaminetetraacetate, perfume

**Contains  
(Reg.EC 648/2004):**

> 5% ≤15% EDTA and salts thereof, < 5% perfumes.

**Safety data sheet available on request for professional users**

CODES: 08ECO3GK006A294 - 08ECO3GK025A293

## 06- COMMUNITY AND KITCHEN LINE

# D.LB.3007 BRIGHTENING DETERGENT FOR BAR DISHWASHING-MACHINES

### CONCENTRATE

**CHARACTERISTICS :** this product has been formulated on the base of active principles adequate to any kind of bar dishwashing-machines and small dishwashers

- fast washing of dishes and glasses;
- brightening action;
- very low foam formation;
- suited for water of any kind of hardness;
- it avoids formation of calcareous encrustation;
- effective power preventing new deposits.
- **DO NOT USE ON ALUMINIUM SURFACES!**

DILUTION AND USE :	water hardness in French degrees	quantity per litre of water
	soft 0 - 15° F medium 15° - 25° F hard over 25° F	2 ml 2,5 ml 3 ml

**Labelling according to Regulation (EC) No 1272/2008:**

**Hazard statement** **Danger** Causes severe skin burns and eye damage.

**Code(s):**



**Precautionary statements:** Wash with water thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor.  
Dispose of the product/container in accordance with existing regulations.

**Contains:** sodium hydroxide, 1-Hydroxyethane diphosphonic acid sodium salt solution

**Contains** 5% < 15% EDTA and salts thereof  
**(Reg.EC 648/2004):**

**UFI: HJ23-80RX-4003-WYP4**

**Safety data sheet available on request for professional users**

CODES : 0830070K0121075 – 0830070K0066163 – 0830070K0016812

## 06- COMMUNITY AND KITCHEN LINE

# ECOCHEM TABS/BAR

for dishwashing-machines and bar-dishwashing-machines

**5 actions in 1**

**CHARACTERISTICS:** tablets in blister suitable for bar-dishwashing-machines :

- 1) excellent cleaning power;
- 2) lime scale removing action;
- 3) hygiene action;
- 4) brightening action;
- 5) protective action on pottery, etc.

**DILUTION AND USE:** for a correct concentration of the washing solution : before using the machine, put 2 tablets directly into the inside washing-container of your dish-washing machine.

Then let it work empty of dishes for 2 - 3 washing cycles.

**Every 8-10 full baskets washed, add 1 tablet to the washing solution.**

### Labelling according to Regulation (EC) No 1272/2008:

Hazard statement  
Code(s):

**Danger**



Causes skin irritation.  
Causes serious eye damage.

Precautionary statements:

Wash thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF ON SKIN: Wash with plenty of soap and water.  
Immediately call a POISON CENTER or doctor/physician.

**Contains:**

sodium percarbonate.

**PROFESSIONAL USE ONLY**

CODE : 08TABLNK0037579

## 06- COMMUNITY AND KITCHEN LINE

# POWDER FOR DISHWASHING-MACHINES P.L.3006

**CHARACTERISTICS :** the formulation of this product doesn't contain free alkaline hydrates

- granular detergent, suited for any kind of dishwashers;
- it prevents the formation of encrustations;
- very low foam formation;
- **DO NOT USE ON ALUMINIUM SURFACES !**

**DOSES AND USE :**

water hardness in French degrees	doses per litre of water
soft 0 - 15° F	3 g
medium 15 - 25° F	4 g
hard over 25° F	7 g

**Labelling according to Regulation (EC) No 1272/2008:**

**Hazard statement** **Danger**

**Code(s):**



It causes serious skin burns and serious eye injuries.  
It can irritate the respiratory tract.  
It can be corrosive to metals.  
Harmful to aquatic life with long lasting effects.

**Precautionary statements:**

Keep out of reach of children.  
Do not breathe dust.  
Wear protective gloves / protective clothing / eye protection / face protection.  
IN CASE OF CONTACT WITH EYES: Rinse thoroughly for several minutes. Remove any contact lenses if it is easy to do. Continue to rinse.  
IN CASE OF CONTACT WITH SKIN (or hair): Remove contaminated clothing. Rinse the skin / take a shower.  
Contact a doctor immediately.  
Do not disperse in the environment.  
Protect from moisture.  
Keep in a cool place.  
Dispose of the product / container in accordance with the regulations in force.

**Contains:**

SODIUM METASILICATE

**PROFESSIONAL USE ONLY**

CODES : 0830060K0101074 - 0830060K0103780

## По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

**Россия** +7(495)268-04-70

**Казахстан** +(727)345-47-04

**Беларусь** +(375)257-127-884

**Узбекистан** +998(71)205-18-59

**Киргизия** +996(312)96-26-47

эл.почта: [ehi@nt-rt.ru](mailto:ehi@nt-rt.ru) || сайт: <https://ecochem.nt-rt.ru/>