Обезжириватели для кухни

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волгоград (844)278-03-48 Вологра (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81

Казахстан +(727)345-47-04

Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37 Пермь (342)205-81-47

Беларусь +(375)257-127-884

Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Саранок (8342)22-96-24 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97 Тверь (4822)63-31-35

Узбекистан +998(71)205-18-59

Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Удэ (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 Ярославль (4852)69-52-93

Киргизия +996(312)96-26-47

эл.почта: ehi@nt-rt.ru || сайт: https://ecochem.nt-rt.ru/





NO-FOAM CHLORINE DETERGENT FOR FOOD/DAIRY/MILK FACTORIES D.CL.NF.5006

CHARACTERISTICS :	 No-foam chlorine-active detergent; important hygiene/sanitary action on the treated surfaces; it prevents new deposits; suited for any kind of food/diary/milk factories in traditional cleaning and kitchen floors of any place, hotels, hospitals, rest houses, etc.; high powder in removing heavy and strong greases; suited to remove mould. 	
DILUTION :	use product dilution from 0.5% to 2% (50 ml - 200 ml product in 10 l water) according to the dirt degree to remove.	
USE :	the product may be applied manually by sponge or spray or mop; it may be used in washing-drying machine too.	
Labelling according to Regulation (EC) No 1272/2008:		
Hazard statement Code(s):	Danger May be corrosive to metals. Causes severe skin burns and eye damage. Very toxic to aquatic life with long lasting effects.	
Precautionary statemer	 Do not breathe vapours. Wash with water thoroughly after handling. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Collect spillage. Dispose of the product/container in accordance with existing regulations. 	
Contains:	Sodium Hypochlorite , potassium hydroxide, polyacrylates.	

UFI: XS13-Q0JC-C00N-XWEJ

Safety data sheet available on request for professional users

D.F.3005 OVEN AND CHARRED GREASE DETERGENT

CHARACTERISTICS : the formulation of this product contains high biodegradable active principles and it is phosphorus free

- suited to remove charred and difficult greases;
- very high soaping power;
- foamy, it generates an active highly compact foam;
- high concentration;
- suited for ovens, cooking plates, hoods, frying pans, pots;
- specific for food and preserving industry;
- it doesn't induce food pollution;
- DO NOT USE ON ALUMINIUM SURFACES !

IMPORTANT ! The presence of a slight white sediment on the bottom of the package and a light amber colour doesn't change the high quality of this product.

DILUTION : prepare 5% to 10% (500 ml - 1 l product in 10 l water) solutions according to the kind of grease to remove; do not dilute the product, when used on heavily encrusted equipment.

USE :

- spray the active foam over the surface to clean (the product is more reactive on warm surfaces at 50° C / 60° C);
 - 2) allow the product to react;
 - 3) rinse with water.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement Code(s):	Danger	Causes severe skin burns and eye damage. May cause respiratory irritation.
Supplemental Haza statement Code(s)		Safety data sheet available on request.
Precautionary stat	ements:	 Wash with water thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Dispose of the product/container in accordance with existing regulations.
Contains:		(2-methoxymethylethoxy)propanol, sodium hydroxide, 2-aminoethanol, Anionic surfactants

Contains (Reg.EC 648/2004): < 5% anionic surfactants, EDTA and salts thereof

UFI: 06X2-F0JP-G00V-5JXU

Safety data sheet available on request for professional users

CODES : 1030050L0101072 - 1030050L0058046 - 1030050M7503467

06- COMMUNITY AND KITCHEN LINE SUPER OVEN AND CHARRED GREASE DETERGENT D.F.3005/S EXTRA STRONG

CHARACTERISTICS :	the formulation of this product contains high biodegradable active principles and it is phosphorus free
	 suited to remove charred and difficult greases; very high soaping power; very high concentration; suited for oven, cooking plates, hoods, frying pans, pots; very high power of removing greases; DO NOT USE ON ALUMINIUM OR ALUMINIUM ALLOYS SURFACES!
	IMPORTANT ! The presence of a slight white sediment on the bottom of the package and a light amber colour doesn't change the high quality of this product.
DILUTION :	prepare 5% to 10 % solutions according to the kind of grease to remove; do not dilute the product, when used on heavily encrusted equipment.
USE :	 spray the active foam over the surfaces to clean (the product is more reactive on warm surfaces at 50° C / 60° C); allow the product to react; rinse with water.
Labelling according to	Regulation (EC) No 1272/2008:
Hazard statement Da Code(s):	anger Causes severe skin burns and eye damage.
Supplemental Hazard statement Code(s):	Safety data sheet available on request.
Supplemental Hazard	

UFI: 3RT2-60XT-8002-QWN8

Safety data sheet available on request for professional users

OG- COMMUNITY AND KITCHEN LINE FOOD INDUSTRY DEGREASING DETERGENT D.S.A.1005

- **CHARACTERISTICS :** the formulation of this product contains high biodegradable active principles and it is phosphorus free
 - specific for removing food greases;
 - suited for any kind of surfaces (stainless steel panels, aluminium panels, food industry machines, floors, working tables, slicing machines, etc.);
 - very high degreasing power;
 - high concentration;
 - low residuals, thus preventing food contamination.
 - foamy.

DILUTION : prepare 3% to 5% solutions according to the kind of grease to remove (300 ml to 500 ml per 10 litre water); use the product at 2% (200 ml in 10 litre of water) for light greases.

USE :

- 1) spread the solution by a sponge or hydro-cleaner or suitable tools;
- 2) let the product react for few minutes in order to favour the grease solubilization;
 - 3) rinse with water.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement Danger Code(s):	Causes skin irritation. Causes serious eye damage. Harmful to aquatic life with long lasting effects.
Supplemental Hazard statement Code(s):	Contains 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H- ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1). May produce an allergic reaction.
Precautionary statements:	Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Dispose of the product/container in accordance with existing regulations.
Contains:	Anionic surfactants, tetrasodium ethylene diamine tetraacetate, nonionic surfactants, 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1)
Contains (Reg.EC 648/2004):	5% < 15% anionic surfactants,< 5% non-ionic surfactants

UFI: 27Y2-H0UF-500T-3NXM

Safety data sheet available on request for professional users

CODES : 1010050L0100376 - 1010050L0500661

SUPER DEGREASING HYDRO-CLEANING DETERGENT I.S.S.2008

CHARACTERISTICS :	the formulation of this product	contains very high	biodegradable active
	principles. Studied to solve any	kind of degreasing	problem, it is a real
	technical strong degreaser useful in	n any situations:	
	- suited for removing diffi	cult stains of oil an	d grease from floors

- suited for removing difficult stains of oil and grease from floors, machines, mechanical parts, engines and painted surfaces;
- suited for food industries to remove animal and vegetable greases;
- suited used in workshops, etc.
- suited for cleaning shutters/venetian blinds too.
- it doesn't attack the surfaces and paints, but it gives brightness;
- not staining;
- it doesn't contain neither silicones, nor solvents.

DILUTION : use 1% to 2% dilution (100 ml - 200 ml product in 10 l water) according to the degree of dirt to remove. Dilute till 5% (500ml in 10 l water) on very heavy soil.

USE : the product may be applied manually or by low pressure sprayers, automatic washing systems, hydro-cleaners, auto-scrubbers etc.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement Code(s):	Causes severe skin burns and eye damage.
Supplemental Hazard statement Code(s):	not applicable
Precautionary statements:	Wash with water thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Dispose of the product/container in accordance with existing regulations.
Contains:	sodium hydroxide
Contains (Reg.EC 648/2004):	5% < 15% anionic surfactants,< 5% non-ionic surfactants, NTA (nitrilotriacetic acid) and salts ther

UFI: A8U2-8036-3001-PY4N

Safety data sheet available on request for professional users

03- MULTIPURPOSE & QUICK CLEANING DETERGENT LINE

MULTIORANGE

....the ready all purpose "scenting-degreaser"

i s l f c (he formulation of this product contains high biodegradable active principles and t is phosphorus free. High performances in removing organic or mineral oils, suited in kitchens or workshops. t is excellent to clean any kind of hard washable surfaces: metals, plastic, ormica. Suggested for <u>aluminium</u> , and <u>false leather.</u> DRANGE FRANGRANCE. RINSE FREE.
DILUTION:	READY TO USE.
	l) spray the detergent over the surface to clean; 2) rub with a rag or suitable tool;
Labelling according to Re	egulation (EC) No 1272/2008:
Hazard statement Warr Code(s):	Causes serious eye irritation. Harmful to aquatic life with long lasting effects.
Supplemental Hazard statement Code(s):	Contains 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H- ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1), perfume, Limonene. May produce an allergic reaction.
Precautionary statements	 Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Dispose of the product/container in accordance with existing regulations.
Contains:	tetrasodium ethylene diamine tetraacetate, sodium silicate, nonionic surfactants, 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H- ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1), perfume, Limonene
Contains (Reg.EC 648/2004):	< 5% perfumes, non-ionic surfactants, Limonene

UFI: QUC3-X09T-600J-AUM3

Safety data sheet available on request for professional users

CODES : 06MORANM7506488

03- MULTIPURPOSE & QUICK CLEANING DETERGENT LINE **MULTI LEMON**

POWERFUL SCENTED DEGREASER

CHARACTERISTICS:

High performances in cleaning :

- working tables in food shops, kitchens & restaurants, washable walls, hoods;
- blinds, shutters, radiators;
- garden sits & tables;
- bicycles etc.
- it removes oil & greases.

It is excellent to clean any kind of hard washable surfaces: metals, plastic, formica, textile.

DILUTION: READY TO USE.

USE:

- 1) spray the detergent over the surface to clean;
- 2) let it work few minutes (max 5 minutes);
- 3) rinse with water and suitable tool.

WARNING ON TEXTILES !

<u>SPRAY THE DETERGENT ON THE CLOTH/TOOL YOU USE TO CLEAN THE</u> <u>SURFACE</u>. Then go on cleaning as usual.

!!! Make a colour test resistance in a small hidden area **!!!**

WARNING! <u>DO NOT USE ON :</u>

<u>ALUMINIUM & ITS ALLOYES, WOODEN SURFACES, TRASPARENT</u> <u>PLASTIC MATERIALS (polycarbonate as shower walls, helmet visior, etc.).</u> **!!! Check the suitability of the product on a small hidden area !!!**

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement Code(s):



May cause an allergic skin reaction. Causes serious eye damage.

Supplemental Hazard not applicable statement Code(s):

Precautionary statements:	Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Contains:	2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2- METIL-2H-ISOTIAZOL-3-ONE (3:1), perfume, Citral, Limonene, nonionic surfactants
Contains (Reg.EC 648/2004):	5% < 15% non-ionic surfactants,< 5% perfumes, phosphates, Citral, Limonene

UFI: RT73-40V4-T009-8T72

Safety data sheet available on request for professional users

CODES: 06MULEMM750A286



YELLOW- THE DEGREASER READY TO USE

CHARACTERISTICS : the formulation of this product contains high biodegradable active principles

- It degreases and cleans any kind of hard washable surfaces, removing animal or vegetal or mineral oils;
- remarkable cleaning power;
- suited for cooking tables, pots, hoods, tiles, floors, working machines, etc.
- excellent performance on stainless-steel!

DILUTION : Ready to use

USE : Spray the product on the surface to clean than rub with a sponge or cloth or suitable tool.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement Warning Code(s):	Causes serious eye irritation.
Precautionary statements:	Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. - If eye irritation persists: Get medical advice/attention.
Contains:	tetrasodium ethylene diamine tetraacetate, 2-bromo-2-nitropropan- 1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H- ISOTIAZOL-3-ONE (3:1), sodium hydroxide, 2-butoxyethanol, propan-2-ol, perfume
Contains (Reg.EC 648/2004):	< 5% perfumes, EDTA and salts thereof UFI: X003-3020-X008-2R66

Safety data sheet available on request for professional users

CODE: 06SGRASM7507543

03- MULTIPURPOSE & QUICK CLEANING DETERGENT LINE

UNIVERSAL DEGREASER S.U.1018/UU

CHARACTERISTICS : the formulation of this product contains high biodegradable active principles

- very high cleaning power;
- suited against any kind of dirt and grease;
- suited for kitchens, cooking tables, ovens, pots, hoods, tiles, floors, formica laminates, PVC lining and any kind of washable surfaces, **inside car maintenance and shutters/venetian blinds too.**

DILUTION : dilute 0,5% - 2% (from 50 ml to 200 ml in 10 l water) when used in washingdrying machine;

dilute 3% - 5% (from 300 ml to 500 ml in 10 l water) when used in scrubber machine;

For removing very difficult soil, use an higher concentration.

Spray cleaning: dilute 20 ml of product in 750 ml of water, spray the solution on the surface, clean with a damp cloth and rinse.

For removing very difficult soil, use an higher concentration.

VERY IMPORTANT! BEFORE USING THE PRODUCT ON ALUMINIUM, MAKE A TEST ON A REMOTE PLACE, BECAUSE PURE PRODUCT MAY DAMAGE THE SURFACE.

P.S. BEFORE USE, ALWAYS TEST THE PRODUCT ON A HIDDEN CORNER!

USE : the product may be spread manually by sponge, mop, spray or swivelling joint scrubber:

apply the diluted product , let it react some minutes, than keep it away with a wet sponge or a wet rag.

Labelling according to Regulation (EC) No 1272/2008:

Causes skin irritation.
C

Causes serious eye damage.

Supplemental Hazard statement Code(s):	Contains 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3- ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1) perfume. May produce an allergic reaction
Precautionary statements:	Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. If skin irritation occurs: Get medical advice/attention
Contains:	tetrasodium ethylene diamine tetraacetate, sodium hydroxide, sodium silicate, anionic surfactants, 2-butoxyethanol, 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2- METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1)
Contains (Reg EC 648/2004):	< 5% EDTA and salts thereof, >= 5 < 15% anionic surfactants

(Reg.EC 648/2004):

Code(s):

UFI: E8X2-Y082-T00C-TWHW

Safety data sheet available on request for professional users

CODES : 011018UM7503466 - 011018UK0100748 - 011018UK0056806 - 011018UK0015062 - 011018UK0018752

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волгоград (844)278-03-48 Волоград (844)278-03-48 Вологра (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Лилецк (4742)52-20-81

Казахстан +(727)345-47-04

Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Ореп (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37 Пермь (342)205-81-47

Беларусь +(375)257-127-884

Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Саранск (8342)22-96-24 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97 Тверь (4822)63-31-35

Узбекистан +998(71)205-18-59

Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Удэ (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 Ярославль (4852)69-52-93

Киргизия +996(312)96-26-47

эл.почта: ehi@nt-rt.ru || сайт: https://ecochem.nt-rt.ru/