

Специальные средства для кухонной техники

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ehi@nt-rt.ru || сайт: <https://ecochem.nt-rt.ru/>



06- COMMUNITY AND KITCHEN LINE

DETERGENT FOR COFFEE MACHINES AND CUP CLEANING C.M.C.3008

DOSES AND USE :

CLEANING OF FILTERS AND FILTER HOLDERS

- 1) prepare a solution (2 tablespoons of product per litre of boiling hot water) in a plastic, stainless steel or glass container (DON'T USE IRON OR ALUMINIUM !);
- 2) put the filter and filter holders in the solution for 20 - 30 minutes (better still a whole night);
- 3) rinse well in plenty running water.

CLEANING OF CUPS, SAUCERS AND TEAPOTS

The product is particularly suitable for removing the stains from cups, saucers, teapots, etc., leaving them sparkling.

Dissolve 2 tablespoons of product per litre of boiling hot water and leave cups, saucers, etc. in this solution until it becomes cold; then rinse them in plenty runny water.

CLEANING THE UPPER FILTER

- 1) put 1 tablespoon of the product in the blind filter of each group;
- 2) open the delivery valve for about 30 seconds;
- 3) close the delivery valve;
- 4) repeats points 2 and 3 until the water discharged is perfectly clean;
- 5) rinse several times using a normal filter.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger**
Code(s):



Causes serious eye damage.
Harmful if inhaled.
May cause respiratory irritation.
May damage the unborn child. Suspected of damaging fertility.

Precautionary statements:

Obtain special instructions before use.
Avoid breathing vapours.
Wear protective gloves/protective clothing/eye protection/face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Call a POISON CENTER/doctor/if you feel unwell.
Store in a well-ventilated place. Keep container tightly closed.

Contains:

sodium metasilicate pentahydrate, Alcohol ethoxylate, perboric acid (HBO(O₂)), sodium salt, tetrahydrate [containing < 0,1 % (w/w) of particles with an aerodynamic diameter of below 50 micron]

Contains
(Reg.EC 648/2004):

5% < 15% non-ionic surfactants
< 5% anionic surfactants

PROFESSIONAL USE ONLY

CODES : 0830080K0013148

06- COMMUNITY AND KITCHEN LINE

ECO CAFFEE EXTRA C.M.C. 3008/L

CHARACTERISTIC : Liquid detergent, it has been formulated specifically for the cleaning and maintenance of the internal circuits and milk-jets of the coffee-machines.

DILUTION AND USE : 1 dose (30 ml.) for a perfect clearing of the inside machine.
Use the blind filter.
After this treatment, rinse deeply and abundantly with water.

DO NOT USE ON ALUMINIUM PARTS.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger** Causes severe skin burns and eye damage.

Code(s):



Precautionary statements: Do not breathe dust/fume/gas/mist/vapours/spray.
Wash with water thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water [or shower].
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Dispose of the product/container in accordance with existing regulations.

Contains: sodium hydroxide, 1-Hydroxyethane diphosphonic acid sodium salt solution

Contains (Reg.EC 648/2004): 5 < 15% EDTA and salts thereof

UFI: 2943-D0JV-8000-4TAE

Safety data sheet available on request for professional users

CODICI: 08300N1K0018968

06- COMMUNITY AND KITCHEN LINE

ECOCHEM TABS/FRY

Degreasing tablets for fryers and “pasta”-cooking machines

CHARACTERISTICS:

- high degreasing power
- low foam
- hygiene action
- lime-scale removing action
- caustic alkali free
- high soaping and fading power

DILUTION AND USE: empty your machine from oil or water.
Fill up the container with clean water and let it boil for 20 min. with :
to degrease and clean little machines : 2 tablets
to degrease and clean little machines: 3 tablets
to degrease and clean mechanical tools : 3 tablets
Rinse abundantly with clean water.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger**
Code(s):



Harmful if swallowed.
It causes serious skin burns and serious eye injuries.
It can irritate the respiratory tract.
Harmful to aquatic life with long lasting effects.

Further data: Warning! Do not use in combination with other products.
Hazardous gases can be released (chlorine).

Precautionary statements: In case of consultation with a doctor, keep the container or label of the product available.
Keep out of reach of children.
Wash thoroughly after use.
Use only outdoors or in a well-ventilated area.
Do not disperse in the environment.
Wear protective gloves / goggles / face protection.
IN CASE OF CONTACT WITH SKIN (or hair): take off immediately all contaminated clothing. Rinse the skin [or take a shower].
IN CASE OF CONTACT WITH EYES: Rinse thoroughly for several minutes.
Remove any contact lenses if it is easy to do. Continue to rinse.
Immediately contact a POISON CENTER / doctor.
Keep locked up.
Store at temperatures not exceeding 40 ° C.
Dispose of contents / container in accordance with local / regional / national / international regulations.

Hazardous components that determine the labeling: Disodium metasilicate (EC 229-912-9)
Disodium metasilicate (EC 229-912-9)
trisodium orthophosphate (CAS 7601-54-9)

Pads: 25 pcs

EXCLUSIVELY FOR PROFESSIONAL USE

CODE: 10TABSFC025A356

06- COMMUNITY AND KITCHEN LINE

LIQUID DETERGENT FOR STAINLESS STEEL D.A.I. 2019/S

CHARACTERISTICS : this product has been formulated for cleaning stainless steel pieces.

- suited for washing inox / stainless steel surfaces and to remove from them oxidation agents;
- it works very well in removing lime scale deposits;
- low foam formation;
- drying without staining;
- it leaves the treated surface shining;
- it does not contains not oils nor solvents;
- no residuals;

ACID DETERGENT TO RINSE.

DILUTION : **READY FOR USE.**

USE : apply the product manually or by sponge; if necessary use a white abrasive one or a stronger one, in order to the kind of the surface and the dirt to remove.
RINSE WITH A LOTS OF WATER THE SURFACES THAT CAN BE IN CONTACT WITH FOOD.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger** Causes skin irritation.
Code(s): Causes serious eye damage.



Supplemental Hazard statement Code(s): not applicable

Precautionary statements: Wear protective gloves/protective clothing/eye protection/face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
If skin irritation occurs: Get medical advice/attention.

Contains: nonionic surfactants, cationic surfactants
The mixture contains 1,00% of the components of which is unknown toxicity to the aquatic environment.

Contains (Reg.EC 648/2004): 5% < 15% non-ionic surfactants,< 5% cationic surfactants

UFI: DCX2-F0XG-300V-G83Y

Safety data sheet available on request for professional users

CODES : 1320190M7503879

06- COMMUNITY AND KITCHEN LINE

H.A.C.C.P.

EASY INOX

Brightening detergent for stainless steel

- CHARACTERISTICS :**
- suited for washing inox steel / stainless steel surfaces and removing oxidations & lime scale deposits;
 - drying without staining;
 - neutral pH;

- **VERY SHINING SURFACE AFTER CLEANING**

- **IT PREVENTS FINGERPRINTS AFTER TREATMENT**

This formulation mineral-based protects the treated surface.

Suggested to be used on : stainless steel furniture, fridge and freezer doors, dishwasher machines, conveyor belts.

Warning! Do not put in contact with food .

DILUTION and USE : **READY FOR USE.**

Spray little product on a clean cloth and pass the surface.

Labelling according to Regulation (EC) No 1272/2008:

**Hazard statement
Code(s):**

Danger



Highly flammable liquid and vapour.
Harmful if swallowed.
Causes skin irritation.
Causes serious eye irritation.
May cause drowsiness or dizziness.

Precautionary statements: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
IF ON SKIN: Wash with plenty of water.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Contains : White mineral oil (petroleum), propan-2-ol

PROFESSIONAL USE ONLY

CODES : 132019CM500A283

Packaging : 12 bottles - 500 ml + 12 sprayers in the box – pallet : 55 boxes

06- COMMUNITY AND KITCHEN LINE

INOX SAFE

**Special Protective Detergent for Stainless Steel surfaces
(polished or satin one)**

SUPER CONCENTRATE !

- CHARACTERISTICS:**
- Highly recommended for all kind of stainless steel surfaces: especially for lifts, any kind of plant or engine, etc.;
 - in one simple operation it cleans, polishes and protects;
 - it leaves a protective film that restores brightness and gives a new look impression;
 - DO NOT USE IN GASTRONOMIC ENVIRONMENT.

DILUTION: **READY FOR USE.**

USE: Spray a VERY SMALL QUANTITY of INOX SAFE on a cloth and rub the surface to clean.

**The product is highly concentrated
and its performance is excellent!**

DO NOT RINSE.
DO NOT USE IN CONTACT WITH FOOD.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger**
Code(s):



May be fatal if swallowed and enters airways.
Causes serious eye irritation.
Harmful to aquatic life with long lasting effects.

**Supplemental Hazard
statement Code(s):**

Repeated exposure may cause skin dryness or cracking.

Precautionary statements:

Wash with water thoroughly after handling.
Avoid release to the environment.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Immediately call a POISON CENTER/doctor.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Do NOT induce vomiting.
If eye irritation persists: Get medical advice/attention.
Store locked up.
Dispose of the product/container in accordance with existing regulations.

Contains:

Hydrocarbons, C10-C12, isoalcani < 2% aromatic, White mineral oil (petroleum)

UFI: XFX2-Y0MV-E00C-4KQ1

Safety data sheet available on request for professional users

AFTER USE DO NOT GET RID OF THE CONTAINER IN THE ENVIRONMENT.

CODES: 132019AM5009985

03- MULTIPURPOSE & QUICK CLEANING DETERGENT LINE

LIQUID DETERGENT FOR SILVER

D.P.A.2016

CHARACTERISTICS : the formulation of this product contains high biodegradable active principles and it is phosphorous free

- suited to remove stains from silverware;
- it gives brightness;
- it gets into silver oxide quickly;
- **NOT USEFUL ON STAINLESS STEEL.**

DILUTION : **READY TO USE**

USE : ***SHAKE THE PRODUCT BEFORE USING !***

- 1) dip the object into the product;
- 2) allow the solution to react for a few seconds, then rinse abundantly with water and wipe.

Use rubber gloves because the product is irritating to skin.

Labelling according to Regulation (EC) No 1272/2008:

**Hazard statement
Code(s):**

Warning



Harmful if swallowed.
Causes serious eye irritation.
Suspected of causing cancer.
Suspected of damaging the unborn child.
Harmful to aquatic life with long lasting effects.

Precautionary statements:

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Avoid release to the environment.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Store locked up.
Dispose of the product/container in accordance with existing regulations

Contains: Thiourea

Contains (Reg.EC 648/2004): < 5% non-ionic surfactants

UFI: 4N83-60S3-V008-V71Q

Safety data sheet available on request for professional users

CODES : 13ARGENK0051950

06- COMMUNITY AND KITCHEN LINE

INDUSTRIAL CLOGGING REMOVING AGENT (NEW EXTRA STRONG)

CHARACTERISTICS : this product removes clogging from all kinds of pipes and drains.
It may work with stagnant water too.

USE :

- 1) pour slowly half a bottle of product into the drain (in the stagnant water);
- 2) let it react half an hour;
- 3) it is suitable let warm water flowing after every operation;
- 4) you may repeat this operation in case of consistent clogging.

This product doesn't damage drains, ceramic, steel, chromium - plating.

IMPORTANT! DO NOT USE THE PRODUCT WITH SUCTION - CUP OR OTHER PRODUCTS.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger** Causes severe skin burns and eye damage.
Code(s):



Supplemental Hazard statement Code(s): not applicable

Precautionary statements: Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.

Contains: sodium hydroxide

UFI: CUT2-Q0N6-J00K-C87A

Safety data sheet available on request for professional users

CODES : 15DISOTK001A990

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ehi@nt-rt.ru || сайт: <https://ecochem.nt-rt.ru/>