

Аммиак лимонный, антистатики, растворы многофункциональные DM, нейтральные DNP

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ehi@nt-rt.ru || сайт: <https://ecochem.nt-rt.ru/>

01- CLEANING AND MAINTENANCE DETERGENTS LINE

AMMONIA LEMON

Liquid detergent for hard surfaces

WITH AMMONIA FRAGRANCE

CHARACTERISTICS : super perfumed ammonia based detergent

- suited for any kind of washable surfaces : tiles, window and door frames, floors, chairs, desks, etc.;
- **rinse free.**

DILUTION : 50 ml product in 10 l water (0,5% / 1:200).
Use till 3% concentration of product for stronger soil.
With sprayer: 40 ml product in 500 ml water 8%.

USE: the product may be used with mop, sponge and by machine washing-drying machine.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement Code(s): **Warning**  Causes skin irritation.
Causes serious eye irritation.

Precautionary statements: Wear protective gloves/protective clothing/eye protection/face protection.
If eye irritation persists: Get medical advice/attention.

Supplemental Hazard statement Code(s): EUH208 - contains perfume, 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1) perfume. May produce an allergic reaction.

Contains: nonionic surfactants, 1-Hydroxyethane diphosphonic acid sodium salt solution, ammonia, aqueous solution, perfume, Hexyl cinnam-aldehyd, Benzyl salicylate, 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1)

Contains (Reg.EC 648/2004): < 5% perfumes, non-ionic surfactants, Phosphonates, Hexyl cinnam-aldehyd, Benzyl salicylate

UFI CODE : CXW2-X0GG-K00D-5J6N

Safety data sheet available on request for professional users

CODES : 01CASAML0107538 - 01CASAML0057539 - 01CASAML010B051

03- LINEA DETERGENTI MULTIUSO E PULIZIE VELOCI

ANTI-STATIC SUPER ECO MOP

CONCENTRATO

CARATTERISTICHE : questo prodotto e' stato formulato con principi attivi ad elevata biodegradabilità, senza fosforo ed e' a base alcoolica

- senza residuo;
- indicato per pavimenti;
- può essere usato sia con mop, sia con scopa a frange (tipo bandiera);
- ad azione antistatica, trattiene con notevole efficacia la polvere;
- elevata evaporazione;
- **senza risciacquo.**

DILUIZIONI : usare puro su mop o scope a frange.

MODALITA' D'USO :

- 1) Impregnare il mop con ANTI-STATIC SUPER ECO MOP (usare piccole quantità);
- 2) passare con mop la superficie da trattare;
- 3) lasciare asciugare il pavimento senza risciacquare;

i mop e le scope a frange utilizzate trattate con ANTI-STATIC SUPER ECO MOP possono essere lavate a mano o in lavatrice con normali detergenti.

Etichettatura conforme al regolamento (CE) n. 1272/2008:

Codici di indicazioni di pericolo: **Attenzione**



Liquido e vapori infiammabili.
Provoca irritazione cutanea
Provoca grave irritazione oculare.
Può provocare sonnolenza o vertigini.

Codici di indicazioni di pericolo supplementari: EUH208 - Contiene profumo, 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1). Può provocare una reazione allergica.

Consigli di prudenza: Tenere lontano da fonti di calore, superfici calde, scintille, fiamme libere o altre fonti di accensione. Non fumare.
IN CASO DI CONTATTO CON LA PELLE (o con i capelli): togliere immediatamente tutti gli indumenti contaminati. Lavare abbondantemente con acqua.
IN CASO DI INALAZIONE: trasportare l'infortunato all'aria aperta e mantenerlo a riposo in posizione che favorisca la respirazione.
IN CASO DI CONTATTO CON GLI OCCHI: sciacquare accuratamente per parecchi minuti. Togliere le eventuali lenti a contatto se è agevole farlo. Continuare a sciacquare. Se l'irritazione degli occhi persiste, consultare un medico.
IN CASO DI INCENDIO: utilizzare polvere chimica, halons, CO2, schiume per estinguere.
Conservare in luogo fresco e ben ventilato e smaltire il prodotto/recipiente in conformità alla regolamentazione vigente in materia.

Contiene: tensioattivi cationici, profumo, Hexyl cinnam-aldehyd, Amyl cinnamal, Linalool, 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1), 2-butossietanolo, 2-propanolo

Contiene (Reg.CE 648/2004): < 5% Profumi, Tensioattivi cationici, Hexyl cinnam-aldehyd, Amyl cinnamal, Linalool

UFI: 3803-M046-U00R-1RXD

Scheda dati di sicurezza disponibile su richiesta per gli utilizzatori professionali.

CODICI : 011000AM7503821 - 011000AL0103208

01- CLEANING AND MAINTENANCE DETERGENTS LINE

D.M. MULTIPURPOSE DETERGENT

CITRUS FRUIT FRAGRANCE

CHARACTERISTICS : the formulation of this product contains high biodegradable active principles and it is phosphate free

- effective against any kind of dirt, grease, oil, smear, etc.;
 - suited for all washable surfaces : tiles, window and door frames, floors, chairs, desks, etc.;
 - suitable used both manually or by machines (auto-scrubber, washing-drying machine etc.);
- rinse free.**

DILUTION : use product solution from 0,5% to 3% (50 ml - 300 ml product in 10 l water) according to the dirt degree;
use higher solution for more difficult dirt.
Rinse free.

USE : the product may be used manually by sponge, spray, mop, swivelling joint scrubber and by machine for walls, floors and details.
No need of rinsing.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger** Causes skin irritation.
Code(s): Causes serious eye damage.



Supplemental Hazard statement Code(s): EUH208 - contains perfume, 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1) perfume. May produce an allergic reaction.

Precautionary statements: Wear protective gloves/protective clothing/eye protection/face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.

Contains: nonionic surfactants, 2-aminoethanol, perfume, Limonene, Linalool, 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1)

Contains (Reg.EC 648/2004): < 5% perfumes, EDTA and salts thereof, non-ionic surfactants, anionic surfactants, Limonene, Linalool

UFI CODE : SUW2-E0T3-800W-H6MK

Safety data sheet available on request for professional users

01- CLEANING AND MAINTENANCE DETERGENTS LINE

NEUTRAL FLOOR DETERGENT D.N.P.

CHARACTERISTICS : the formulation of this product contains high biodegradable active principles and it is phosphorus free

- suited for any kind of floors;
 - it doesn't attack polymeric emulsions or waxes, because of its neutral action;
 - used both by hand and by washing-drying machine;
- no need of rinsing.

DILUTION : dilute the product at 1.5% to 2.5% (150 ml to 250 ml mixed with 10 litre water) according to the dirt degree.

USE :

- 1) remove dust and waste from the floor;
- 2) spread the diluted solution by means of a mop or employ a washing-drying machine equipped with appropriate abrasive disk;
- 3) let the floor dry without rinsing.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Warning** Causes serious eye damage.

Code(s):



Supplemental Hazard statement Code(s): Contains perfume, 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1). May produce an allergic reaction.

Precautionary statements: Wear protective gloves/protective clothing/eye protection/face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Contains: tetrasodium ethylene diamine tetraacetate, diethanolamine, nonionic surfactants, perfume, Hexyl cinnam-aldehyd, Citronellol, Amyl cinnamal, Linalool, 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1)

Contains (Reg.EC 648/2004): < 5% perfumes, EDTA and salts thereof, anionic surfactants, non-ionic surfactants, Hexyl cinnam-aldehyd, Citronellol, Amyl cinnamal, Linalool

UFI: 0FV2-A0RR-C00Y-XR9J

Safety data sheet available on request for professional users

CODES : 0110011L0100364 - 0110011L0054003 – 0110011L0101580



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Рязань (4912)46-61-64	Томск (3822)98-41-53
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Самара (846)206-03-16	Тула (4872)33-79-87
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Санкт-Петербург (812)309-46-40	Тюмень (3452)66-21-18
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саратов (845)249-38-78	Ульяновск (8422)24-23-59
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Севастополь (8692)22-31-93	Улан-Удэ (3012)59-97-51
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саранск (8342)22-96-24	Уфа (347)229-48-12
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Сочи (862)225-72-31	Челябинск (351)202-03-61
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Сургут (3462)77-98-35	Чита (3022)38-34-83
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Тамбов (4752)50-40-97	Ярославль (4852)69-52-93
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81	Пермь (342)205-81-47	Тверь (4822)63-31-35	

Россия +7(495)268-04-70	Казахстан +(727)345-47-04	Беларусь +(375)257-127-884	Узбекистан +998(71)205-18-59	Киргизия +996(312)96-26-47
-------------------------	---------------------------	----------------------------	------------------------------	----------------------------

эл.почта: ehi@nt-rt.ru || сайт: <https://ecochem.nt-rt.ru/>