

Жидкости для стиральных машин и электронных систем дозирования

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ehi@nt-rt.ru || сайт: <https://ecochem.nt-rt.ru/>



05- LIQUID DETERGENT LINE FOR WASHING MACHINES

ALKALINE LIQUID DETERGENT FOR WASHING-MACHINES

WITH ELECTRONIC DOSING PUMPS

D.A.L.L.3026

1

CHARACTERISTICS : this product has been formulated specifically for washing-machines with electronic dosing pumps

- phosphate free;
- high degreasing power;
- suited to wash cotton, linen, synthetic items **in addition to our product N.2 - S.D.L.L.3027 SUPER LIQUID DETERGENT FOR WASHING-MACHINES WITH ELECTRONIC DOSING PUMPS;**
- suited to be used both in washing-machines and hand-washing.

DILUTION : dosing suggested for 1 kg of dry linen
for washing-machine

water hardness in French degrees	SOFT 0 - 15° F	MEDIUM 15° - 25° F	HARD over 25° F
doses	3 g	5 g	7 g

by hand

water hardness in French degrees	SOFT 0 - 15° F	MEDIUM 15° - 25° F	HARD over 25° F
doses	5 g	9 g	13 g

USE : IMPORTANT: this product has to be used **ONLY TOGETHER WITH** our product **S.D.L.L.3027 SUPER LIQUID DETERGENT FOR WASHING-MACHINES WITH ELECTRONIC DOSING PUMPS.**

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger** Causes severe skin burns and eye damage.

Code(s):



Precautionary statements:

Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Dispose of the product/container in accordance with existing regulations.

Contains: sodium hydroxide, 1-Hydroxyethane diphosphonic acid sodium salt solution

UFI: 8P93-901V-J006-TA1G

Safety data sheet available on request for professional users

CODES : 1130260K0301465

05- LIQUID DETERGENT LINE FOR WASHING MACHINES

ALKALINE LIQUID DETERGENT FOR WASHING-MACHINES

WITH ELECTRONIC DOSING PUMPS

D.A.L.L.3026/D

1/D

CHARACTERISTICS : this product has been formulated specifically for washing-machines with electronic dosing pumps

- phosphate free;
- high degreasing power;
- suited to wash cotton, linen, synthetic items **in addition to our product S.D.L.L.3027 SUPER LIQUID DETERGENT FOR WASHING-MACHINES WITH ELECTRONIC DOSING PUMPS;**
- suited to be used both in washing-machines and hand-washing.

DILUTION : dosing suggested for 1 kg of dry linen
for washing-machine

water hardness in French degrees	SOFT 0 - 15° F	MEDIUM 15° - 25° F	HARD over 25° F
doses	5 g	7 g	8 g

by hand

water hardness in French degrees	SOFT 0 - 15° F	MEDIUM 15° - 25° F	HARD over 25° F
doses	7 g	11 g	15 g

USE : IMPORTANT: this product has to be used **ONLY TOGETHER WITH** our product **S.D.L.L.3027 SUPER LIQUID DETERGENT FOR WASHING-MACHINES WITH ELECTRONIC DOSING PUMPS.**

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger** Causes severe skin burns and eye damage.
Code(s):



Precautionary statements:

Wash with water thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Store locked up.
Dispose of the product/container in accordance with existing regulations.

Contains: sodium hydroxide, 1-Hydroxyethane diphosphonic acid sodium salt solution

UFI: EM93-S0CG-700P-4YFE

Safety data sheet available on request for professional users

CODES : 1130261K026A378

05- LIQUID DETERGENT LINE FOR WASHING MACHINES

SUPER LIQUID DETERGENT FOR WASHING-MACHINES

WITH ELECTRONIC DOSING PUMPS

S.D.L.L.3027

2

CHARACTERISTICS : this product has been formulated specifically for washing-machines with electronic dosing pumps

- phosphate free;
- high cleaning power;
- suited to wash cotton, linen, synthetic items **in addition to our product D.A.L.L.3026 ALKALINE LIQUID DETERGENT FOR WASHING-MACHINES WITH ELECTRONIC DOSING PUMPS;**
- *suited to wash delicate fabrics : silk, wool, etc.*

DILUTION : suggested dosing for 4 - 5 kg of laundry
light dirt

water hardness in French degrees	SOFT 0 - 15° F	MEDIUM 15° - 25° F	HARD over 25° F
doses	2 g	3 g	4 g

strong dirt

water hardness in French degrees	SOFT 0 - 15° F	MEDIUM 15° - 25° F	HARD over 25° F
doses	4 g	6 g	9 g

USE : TO BE USED ONLY WITH APPROPRIATE DOSING PUMPS !!!
Ideal to any kind of temperatures !!!
DIFFICULT STAINS: pour the product DIRECTLY on difficult spots, rub gently and then finish washing manually or by machine.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger**
Code(s):



Causes serious eye damage.
Harmful to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s): Contains 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1), perfume. May produce an allergic reaction.

Precautionary statements: Avoid release to the environment.
Wear protective gloves/protective clothing/eye protection/face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Dispose of the product/container in accordance with existing regulations.

Contains: anionic surfactants, nonionic surfactants, 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1)

Contains (Reg.EC 648/2004): >= 15% < 30% non-ionic surfactants, < 5% anionic surfactants

UFI: FS33-C0EG-E001-5RU1

Safety data sheet available on request for professional users

CODES : 1130270K0251466

05- LIQUID DETERGENT LINE FOR WASHING MACHINES

BLEACHER FOR WASHING-MACHINES - ACTIVE OXYGEN BASED - A.L.S.S.3028

3

CHARACTERISTICS : this product has been formulated as a oxygen based whitener, for any kind of washing-machines

- oxygen-active;
- strong bleaching action;
- use on linen only;
- **suited for coloured cloth.**

DILUTION AND USE : dosing suggested for 1 kg of dry linen : 2 g - 25 g product as an additive

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger**
Code(s):



Harmful if swallowed.
Causes serious eye damage.

Precautionary statements: Wash with water thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor. Rinse mouth.
Dispose of the product/container in accordance with existing regulations.

Contains: hydrogen peroxide, amphoteric surfactants

Contains (Reg.EC 648/2004): < 5% amphoteric surfactants

UFI CODE : NEW2-W0C3-R00E-6GQ8

Safety data sheet available on request for professional users

CODES : 1130280K0251467 - 1130280K025B045

05- LIQUID DETERGENT LINE FOR WASHING MACHINES

BLEACHER FOR WASHING-MACHINES - ACTIVE CHLORINE BASED - A.L.S.3029

4

CHARACTERISTICS : this product has been formulated as a whitener chlorine based, for any kind of washing-machines

- active chlorine based
- excellent bleaching
- **to use on linen only : DO NOT USE ON DELICATE OR COLOURED CLOTH!**

DILUTION : dosing suggested for 1 kg of dry linen : 10 g - 15 g product

USE : conforming with its specific washing program, use it with electronic dosing pumps.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger**
Code(s):

Causes severe skin burns and eye damage.
Very toxic to aquatic life. (10)



Supplemental Hazard statement Code(s):

Contact with acids liberates toxic gas.

Precautionary statements:

Do not breathe vapours.
Avoid release to the environment.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Collect spillage. Store locked up.
Dispose of the product/container in accordance with existing regulations.

Contains Sodium Hypochlorite

Contains (Reg.EC 648/2004): < 5% amphoteric surfactants, phosphonates

UFI: QC93-8099-A006-5XQ7

Safety data sheet available on request for professional users

CODES : 1130290K0251468

05- LIQUID DETERGENT LINE FOR WASHING MACHINES

LAUNDRY SOFTENER/NEUTRALISER N.A.L.3030

5

CHARACTERISTICS : this product has been formulated to neutralise the washing baths during the final stage of the washing program

- it allows to obtain pH values between 6 and 6.5
- it improves the linen slipping at the mangle
- it favours the airing making the exit of linen from the machine easier
- it prevents the formation of yellow stains during ironing
- the higher softness favours item folding.

DILUTION AND USE : pour 1.2 cc - 1.4 cc product into the last rinse per kg of linen, checking the pH.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Warning**
Code(s):



Causes skin irritation.
Causes serious eye irritation.

Supplemental Hazard statement Code(s):

Contains perfume. May produce an allergic reaction.

Precautionary statements:

Wear protective gloves/protective clothing/eye protection/face protection.
IF ON SKIN: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Contains:

Formic acid, perfume, Benzyl salicylate

Contains (Reg.EC 648/2004): $\geq 5\%$ < 15% cationic surfactants, < 5% perfumes, Benzyl salicylate

UFI: HS93-S0R8-U00P-FNMJ

Safety data sheet available on request for professional users

CODES : 1230300K0251469

05- LIQUID DETERGENT LINE FOR WASHING MACHINES

LAUNDRY NEUTRALISER N.L.3031

6

CHARACTERISTICS : this product has been formulated to neutralise the washing baths during the final stage of the washing program

- it allows to obtain pH values between 6 and 6.5
- it improves the linen slipping at the mangle
- it prevents the formation of yellow stains during ironing.

DILUTION AND USE : pour 1g - 2 g product into the last rinse per kg of linen, checking the pH.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Warning**
Code(s):



Causes skin irritation.
Causes serious eye irritation

Precautionary statements: Wear protective gloves/protective clothing/eye protection/face protection.
IF ON SKIN: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.

Contains: formic acid

UFI: 1V93-90EP-5006-406M

Safety data sheet available on request for professional users

CODES : 1130310K0251470

05- LIQUID DETERGENT LINE FOR WASHING MACHINES

SOFTENER D.A.3032

7

CHARACTERISTICS : the formulation of this product contains high biodegradable active principles and it is phosphorous free

- softener for rinsing
- suited for any kind of fabric
- it favours ironing ensuring softness
- anti static action for any kind of fabrics.

DILUTION : pour 5 g - 6 g of product into the last rinse per kg of linen.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement Code(s): Nonhazardous

Supplemental Hazard statement Code(s): Contains 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1), perfume. May produce an allergic reaction. Safety data sheet available on request.

Precautionary statements: None in particular.

Contains: 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1), perfume, Hexyl cinnam-aldehyd, Citronellol, Benzyl salicylate, Linalool, Butylphenyl methylpropional

Contains (Reg.EC 648/2004): < 5% cationic surfactants, Hexyl cinnam-aldehyd, Citronellol, Benzyl salicylate, Linalool, Butylphenyl methylpropional

Safety data sheet available on request for professional users

CODES : 12303N0K0259777

05- LIQUID DETERGENT LINE FOR WASHING MACHINES

BLEACHER FOR WASHING-MACHINES - PERACETIC ACID BASED - OX.PER.3033

8

CHARACTERISTICS : this product has been formulated as a blancher, active oxygen – per-acetic and acetic acids based, for any kind of washing-machines

- active oxygen/ per-acetic acid based
- Strong blanching action
- To be used on linen
- Useful on coloured clothes
- **Hygiene action at low temperatures too!**
- It doesn't contain chlorine.

DILUTION & USE : dosing suggested for 1 kg of dry linen : 2 g - 10 g product as an additive.
Use it conforming with its specific washing program, use it with electronic dosing pumps.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement Danger
Code(s):



Heating may cause a fire.
Harmful if swallowed.
Causes skin irritation.
Causes serious eye damage.
May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s):

Corrosive to the respiratory tract.

Precautionary statements:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep only in original packaging.
Keep cool.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Wash with water thoroughly after handling.
Do not smoke when using this product.
Avoid release to the environment.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
IF ON SKIN: Wash with plenty of water.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Store in a well-ventilated place. Keep container tightly closed.
Protect from sunlight.
Store separately.
Dispose of the product/container in accordance with existing regulations.

Contains: hydrogen peroxide, Peracetic Acid

UFI: 6X93-T042-F00P-SASP

Safety data sheet available on request for professional users

CODES : 13OXPERK0258725

05 - LIQUID DETERGENT LINE FOR WASHING MACHINES

BOOSTER FOR WASHING-MACHINES R.S.L.3035

10

CHARACTERISTICS : Concentrated degreasing booster.
To be used combined with our Laundry detergents.

DILUTION : **READY TO USE**

USE : Spray the product on difficult spots **DIRECTLY**, rub gently and then finish washing manually or by machine.

Labelling according to Regulation (EC) No 1272/2008:

**Hazard statement
Code(s):**



Danger

Harmful if swallowed.
Causes serious eye damage.

**Supplemental Hazard statement
Code(s):**

Contains 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1) perfume. May produce an allergic reaction.

Precautionary statements:

Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Rinse mouth.
Dispose of the product/container in accordance with existing regulations.

Contains:

nonionic surfactants, 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1)

Contains (Reg.EC 648/2004):

> 30% non-ionic surfactants

UFI: 34A3-T0GV-200P-30XT

Safety data sheet available on request for professional users

CODES : 1130360K020A215

05- LAUNDRY LINE

SPOT 1 PRO

TISSUE STAIN REMOVER

CHARACTERISTICS : Specific concentrated product, it removes difficult dirt and fat in general (blood, sauce, eggs, milk, protein) effectively.

Suitable for all types of fabric, especially for collars and sleeves shirts.

MAKE A TEST BEFORE USE, IN ORDER TO CHECK THE TISSUE RESISTANCE.

DILUTION : **READY TO USE**

USE : Spray the product **DIRECTLY** on the difficult dirt stains and let it work about 5 – 10 minutes.
Washing manually or by machine.

Labelling according to Regulation (EC) No 1272/2008:

**Hazard statement
Code(s):**

Danger



Causes serious eye damage.

**Supplemental Hazard statement
Code(s):**

EUH208 - contains 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1) perfume. May produce an allergic reaction.

Precautionary statements:

Wear protective gloves/protective clothing/eye protection/face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.

Contains :

nonionic surfactants, 2-bromo-2-nitropropan-1,3-diolo; 5-CLORO-2-METIL-2H-ISOTIAZOL-3-ONE; 2-METIL-2H-ISOTIAZOL-3-ONE (3:1)

**Contains
(Reg.EC 648/2004):**

15% < 30% non-ionic surfactants

UFI CODE: WGW2-E01H-100W-VU9A

Safety data sheet available on request for professional users

CODES : 1130370K005A217 - 1130370K005B046

05- LAUNDRY LINE

SPOT 2 MKU

TISSUE STAIN REMOVER

CHARACTERISTICS : Specific concentrated product, it removes difficult dirt and fat in general, lipstick, make up, shoe polish, grease, oil, etc. from fabrics.

MAKE A TEST BEFORE USE, IN ORDER TO CHECK THE TISSUE RESISTANCE.

DILUTION :

READY TO USE

USE :

Spray the product **DIRECTLY** on the difficult dirt stains and let it work about 5 – 10 minutes.
Washing manually or by machine.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement **Danger**
Code(s):



May be fatal if swallowed and enters airways.

Supplemental Hazard statement Code(s):

Repeated exposure may cause skin dryness or cracking.

Precautionary statements:

Do not breathe vapours.
Do not get in eyes, on skin, or on clothing.
IF SWALLOWED: Immediately call a POISON CENTER/doctor.
Do NOT induce vomiting.
Store locked up.
Dispose of the product/container in accordance with existing regulations.

Contains :

Naphtha (petroleum), hydrotreated heavy, aliphatic hydrocarbons

Contains
(Reg.EC 648/2004):

> 30% aliphatic hydrocarbons

UFI: TH93-80P2-X006-GMVC

Safety data sheet available on request for professional users

CODES : 1130330L0109346

05- LAUNDRY LINE

SPOT 3 RU

TISSUE STAIN REMOVER

CHARACTERISTICS : Specific concentrated product, it removes rust, ferrous residues, cement from fabrics.

MAKE A TEST BEFORE USE, IN ORDER TO CHECK THE TISSUE RESISTANCE.

DILUTION : **READY TO USE**

USE : Spray the product DIRECTLY on the difficult dirt stains and let it work about 5 – 10 minutes.
Washing manually or by machine.

Labelling according to Regulation (EC) No 1272/2008:

Hazard statement Code(s):



Warning Harmful if swallowed or in contact with skin

Supplemental Hazard statement Code(s):

not applicable

Precautionary statements:

Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
IF ON SKIN: Wash with plenty of water.
Call a POISON CENTER/doctor if you feel unwell.
Rinse mouth.

Contains :

oxalic acid

UFI: EE93-R0YP-M00Q-T999

Safety data sheet available on request for professional users

CODES : 1130340L0109347



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ehi@nt-rt.ru || сайт: <https://ecochem.nt-rt.ru/>